

SCR01B Smart ID Card Reader USB 2.0, eID & DN1e, IC/ID Smart Card, ISO7816 Class A/B/C

Product Images



Short Description

- **Card support:** Compatible with eID and DNle IC/ID smart cards
- **Use case:** Online tax reporting, online banking and online identification
- **Standard:** Supports ISO7816 Class A, B and C (5V/3V/1.8V) cards
- **Connector:** USB 2.0 smart card reader
- **Compatibility:** Windows XP/Vista/7/8/10/11 and macOS
- **Installation:** Simple Plug and Play, no driver required

Description

The SCR01B Smart ID Card Reader is designed for secure online identification tasks such as e-government services, online tax reporting and online banking. It provides a reliable way to use your IC/ID smart card for strong authentication at home or in the office.

Compatible with eID and DNle cards, the reader supports ISO7816 Class A, B and C (5V/3V/1.8V) smart cards, making it suitable for a wide range of national ID and smart card applications. Its USB 2.0 interface allows easy connection to desktop and notebook computers without additional adapters.

With simple Plug and Play installation and broad operating system support for Windows XP/Vista/7/8/10/11 and macOS, the SCR01B integrates smoothly into existing environments and helps users securely access online portals, financial services and digital identity platforms.

Additional Information

Harmonized System (HS) code.	847190
Customs product code (TARIC).	8471900000
Approval and Compliance.	CE, RoHS
Compatibility.	Compliant Smart Card Standards: EMV PC Smart Card industry standard – PC/SC 1.0 and PC/SC 2.0 ISO7816 –1,2,3 T=1 and T=0 protocol. ISO7816 Class A, B and C (5V/3V/1.8V) I2C memory card, SLE4418, SLE4428, SLE4432, SLE4442, SLE4436, SLE5536, SLE6636, AT88SC1608, AT45D041 card and AT45DB041 card Microsoft WHQL USB CCID
Operating temperature.	0°C ~ 45°C
Compatible operating systems.	Windows XP and later version Mac OS X 10.6 and later version
Package Contents.	SCR01B Multilingual quick installation guide
Color.	Black
EAN.	4015867208427
Model Number.	SCR01B
Cable Length.	0.9m
Dimensions (W x D x H).	85 x 65 x 25 mm
Product weight (kg).	0,063
Connector.	USB-A male
Data Rate.	480Mbps
Port Configuration.	Smart card slot x 1
Standards.	USB 2.0

