

USB Type-C to HDMI Adapter



4K@60Hz



Robust System Compatibility



Plug & Play







Highlights





HDMI Ultra High-Definition Media Display



Universal Compatibility



Note: Make sure the USB-C port of your device supports video signal output (DP Alt Mode).





Lightweight and Compact





Scratch Resistant

Aluminum Alloy Case

Braided Cable

TP-Link USB Type-C to HDMI Adapter UA520C

Specifications

Hardware

- Interface: 1× HDMI 4K@60Hz
- · Connector: 1× USB Type-C
- USB-C Connector Input: 5V/0.2A
- · Plug & Play: MacOS, Windows, iPadOS, iOS, Android, Linux OS, and Chrome OS



 Package Contents: 1× UA520C

Others

· Environment:

Operating Temperature: 0°C~40°C (32°F~104°F) Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing



For more information, please visit

https://www.tp-link.com/products/details/?model=UA520C_V1

or scan the QR code left

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Specifications are subject to change without notice. Other brands and product names are trademarks or registered trademarks of their respective holders. [†]Port transmission specifications are the testing results conducted by TP-Link laboratory. Actual transfer rate is not guaranteed and will vary as a result of device conditions and environmental factors. ©2024 TP-Link

· Dimension (W×D×H):

1.96 × 0.89 × 0.41 in (49.7 × 22.5 × 10.5 mm)

1× Quick Installation Guide

Certification: CE, FCC, RoHS, HDMI, BSMI

www.tp-link.com TP-Link USB Type-C to HDMI Adapter UA520C