



Zebra ZT411, Direct thermal / Thermal transfer, POS printer, 300 x 300 DPI, 2.4 ips, 0.058 - 0.25 µm, 10.4 cm

300 dpi - 4.3 Display - ARM Cortex A7 - 256 MB RAM - 512 MB Flash - USB 2.0 - RS-232 - Ethernet - Bluetooth 4.1

Group	Printers
Manufacturer	Zebra
Manufacturer item no.	ZT41143-T3E0000Z

Description

Zebra ZT411. Print technology: Direct thermal / Thermal transfer, Type: POS printer, Maximum resolution: 300 x 300 DPI. Printing media thickness: 0.058 - 0.25 µm, Maximum printing width: 10.4 cm, Maximum media length: 450 m. Connectivity technology: Wired & Wireless, Serial interface type: RS-232, Standard interfaces: Bluetooth, Ethernet, RJ-45, RS-232. Ethernet LAN data rates: 10,100 Mbit/s. Storage media: Flash, Flash memory: 512 MB, RAM capacity: 256 GB

Main features

General	
Print technology	Direct thermal / Thermal transfer
Type	POS printer
Maximum resolution	300 x 300 DPI
Printing media thickness	0.058 - 0.25 µm
Maximum printing width	10.4 cm
Maximum media length	450 m
Connectivity technology	Wired & Wireless
Serial interface	Y
Serial interface type	RS-232
Standard interfaces	Bluetooth, Ethernet, RJ-45, RS-232
Bluetooth	Y
Ethernet LAN	Y
Ethernet LAN data rates	10,100 Mbit/s
Storage media	Flash
Flash memory	512 MB
RAM capacity	256 GB

