

# **OVERVIEW**



1. USB-C (USB 10Gbps), data transfer only	7. USB-A (Hi-Speed USB)
2. Headphone / microphone combo jack (3.5mm)	8. USB-A (USB 10Gbps)
3. HDMI-in 1.4	9. HDMI-out 2.1 TMDS
4. Power-in	10. Power button
5. USB-A (Hi-Speed USB)	11. Camera shutter latch
6. Ethernet (RJ-45)	



### **PERFORMANCE**

#### **Processor**

#### **Processor Family**

AMD Ryzen™ 3 / 5 / 7 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache Processor Graphics		NPU	Overall TOPS
AMD Ryzen™ 3 7335U	4	8	3.0GHz	4.3GHz	2MB L2 / 8MB L3	AMD Radeon™ 660M	-	-
AMD Ryzen™ 5 7535HS	6	12	3.3GHz	4.55GHz	3MB L2 / 16MB L3	AMD Radeon™ 660M	-	-
AMD Ryzen <sup>™</sup> 5 8645HS	6	12	4.3GHz	5.0GHz	6MB L2 / 16MB L3	AMD Radeon™ 760M	AMD Ryzen™ AI, up to 16 TOPS	Up to 31 TOPS
AMD Ryzen™ 7 7735HS	8	16	3.2GHz	4.75GHz	4MB L2 / 16MB L3	AMD Radeon™ 680M	-	-
AMD Ryzen™ 7 8845HS	8	16	3.8GHz	5.1GHz	8MB L2 / 16MB L3	AMD Radeon™ 780M	AMD Ryzen™ AI, up to 16 TOPS	Up to 38 TOPS

# **Operating System**

#### Operating System\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- · No preload operating system

### **Graphics**

# Graphics\*\*[1]

Graphics Type		Memory	Max Resolution	Connector	Key Features
AMD Radeon™ 660M	Integrated	Shared	4096x2160@60Hz(HDMI®)	1x TMDS 2.1	DirectX® 12
AMD Radeon™ 680M	Integrated	Shared	4096x2160@60Hz(HDMI®)	1x TMDS 2.1	DirectX® 12
AMD Radeon™ 760M	Integrated	Shared	4096x2160@60Hz(HDMI®)	1x TMDS 2.1	DirectX® 12
AMD Radeon™ 780M	Integrated	Shared	4096x2160@60Hz(HDMI®)	1x HDMI® TMDS 2.1	DirectX® 12

#### Notes:

[1] The information of integrated graphics are not applicable for the models with processor which has no integrated graphics inside (for the details, please refer to processor section).

### **Monitor Support**

### **Monitor Support**

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI®

### Chipset

### Chipset

AMD SoC (System on Chip) platform

### **Memory**

Max Memory[1]

Up to 16GB DDR5-4800

**Memory Slots** 

Two DDR5 SO-DIMM slots, dual-channel capable

**Memory Type** 

DDR5-4800



Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

### **Storage**

## Max Storage Support[1]

One drive, up to 1TB M.2 SSD

#### **Storage Type**

Disk Type	Interface				
M.2 2280 SSD	PCIe® NVMe®, PCIe® 4.0 x4				

Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo® storage offerings.

# **Removable Storage**

**Optical** 

None

**Card Reader** 

No card reader

#### Multi-Media

#### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC233-CG codec

#### Speakers

Stereo speakers, 3W x2, Audio by HARMAN

#### Microphone

Dual-microphone array

### Camera\*\*

- 5.0-megapixel
- 5.0-megapixel IR camera

## **Power Supply**

### Power Supply\*\*

Power	Туре	Efficiency	Key Features		
90W	Adapter	89%	Autosensing		
135W	Adapter	90%	Autosensing		

# **DESIGN**

### **Display**

## Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
27"	FHD (1920x1080)	Multi- touch	IPS	300nits	Anti- glare	16:9	1300:1	99% sRGB	100Hz	89° / 89° / 89° / 89°	Borderless design, low blue light, flicker free
27"	FHD (1920x1080)	Non- touch	IPS	300nits	Anti- glare	16:9	1300:1	99% sRGB	100Hz	89° / 89° /	Borderless design, low blue light, flicker free



#### **Touchscreen**

- 10-point multi-touch
- · Non-touch

#### Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

### **Input Device**

#### Keyboard\*\*

- Lenovo® Calliope Keyboard (USB connector), black
- Lenovo® Calliope Keyboard (USB connector), white
- Wireless EOS Keyboard, Cloud Grey
- Wireless EOS Keyboard, Luna Grey

### Mouse\*\*

- Lenovo® Calliope Mouse (USB connector), black
- Lenovo® Calliope Mouse (USB connector), white
- Wireless EOS Mouse, luna grey
- Wireless EOS Mouse, cloud grey

### Mechanical

#### **Form Factor**

AIO (27 inches)

#### Dimensions (WxDxH)[1]

611.72 x 192 x 473.16 mm (24.08 x 7.55 x 18.62 inches)

#### Packaging Dimensions (WxDxH)

766 x 229 x 570 mm (30.16 x 9.02 x 22.44 inches)

### Weight<sup>[2]</sup>

Around 7.1 kg (15.65 lbs)

#### **Packaging Weight**

Around 10.9 kg (24.03 lbs)

#### Case Color\*\*

- · Cloud grey
- · Luna grey

### **Expansion Slots**

Two M.2 slots (one for WLAN, one for SSD)

#### Stand

Monitor stand, Supports -5° to +15° tilt

#### Others

(Optional) Wireless charger 15W

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

### CONNECTIVITY

### **Network**

### WLAN + Bluetooth®

Wi-Fi® 6, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.2, M.2 card[1]

#### **Onboard Ethernet**

Gigabit Ethernet, 1x RJ-45

### IdeaCentre AIO 27ARR9



#### Notes:

[1] Bluetooth® 5.2 requires Windows® 11.

#### Ports<sup>[1]</sup>

#### **Rear Ports**

- 1x USB-A (USB 10Gbps / USB 3.2 Gen 2)
- 2x USB-A (Hi-Speed USB / USB 2.0)
- 1x HDMI®-in 1.4
- 1x HDMI®-out 2.1 TMDS
- 1x Ethernet (RJ-45)
- 1x power connector

### **Left Ports**

- 1x USB-C® (USB 10Gbps / USB 3.2 Gen 2), data transfer only
- 1x headphone / microphone combo jack (3.5mm)

#### Notos

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

Thunderbolt<sup>™</sup> 5: 80 Gbit/s (bidirectional), up to 120 Gbit/s in bandwidth boost mode for video-intensive applications.

### **SECURITY & PRIVACY**

### **Security**

#### **Security Chip**

Firmware TPM 2.0 integrated in SoC

#### **BIOS Security**

- Administrator password
- Power-on password
- More BIOS security features, please visit <u>BIOS Simulator[1]</u>

#### Notes:

[1] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

### **SERVICE**

### **Warranty**<sup>[1]</sup>

# Base Warranty\*\*

- 1-year mail-in service
- 1-year courier or carry-in service
- 1-year limited onsite service
- · 2-year courier or carry-in service
- 3-year courier or carry-in service

#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://support.lenovo.com/warrantylookup/warrantypolicy">https://support.lenovo.com/warrantylookup/warrantypolicy</a>.

## **OPERATING REQUIREMENTS**



## **Operating Environment**

#### **Temperature**

Operating: 5°C (41°F) to 35°C (95°F)
 Storage: -20°C (-4°F) to 60°C (140°F)

#### **Relative Humidity**

Operating: 20% to 80%Storage: 10% to 90%

#### Altitude

Operating: -15.2 m (-50 ft) to 3048 m (10,000 ft)
Storage: -15.2 m (-50 ft) to 12192 m (40,000 ft)

# **CERTIFICATIONS**

### Green Certifications<sup>11</sup>

#### Green Certifications

- (Optional) ENERGY STAR® 8.0
- ErP Lot 3/7
- GREENGUARD®
- RoHS / WEEE / REACH

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <a href="https://compliance.lenovo.com">https://compliance.lenovo.com</a>.

### **Other Certifications**

#### Other Certifications

- TÜV Rheinland® Flicker Free
- TÜV Rheinland® Low Blue Light
- TÜV Rheinland® Ultra Low Noise
- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.







AMD∄



AMD∄



AMD∄



AMD∄



AMD