



OKI MC853DNP - Multifunction printer

colour - LED - 297 x 431.8 mm (original) - A3 (media) - up to 23 ppm (copying) - up to 23 ppm (printing) - 2005 sheets - 33.6 Kbps - USB 2.0 - Gigabit LAN - USB host

Group	Multifunction Printers
Manufacturer	OKI
Manufacturer item no.	45850602
EAN/UPC	5031713065036

Description

The MC853 A3 color, 4-in-1 multifunction printer, is the perfect choice for small workgroups, offering excellent print quality all in a compact yet powerful device. This smart MFP has a low total cost of ownership yet provides all the functionality you would expect from higher priced devices. Incorporating automatic double sided copying, printing, scanning and faxing to make life easy it also optimizes its speed and power usage to make every saving possible.

With print speeds of up to 23ppm, 14 seconds to first print, and 14.5 seconds to first copy, it offers secure and intuitive functionality that enables easy and efficient integration with as well as management of any document workflow.

The MC853 combines the reliability of OKI's digital LED print technology with the added functionality and performance of more costly and complex copier-based devices ensuring outstanding print and copy quality as well as comprehensive scan and document management.

OKI's smart Extendable Platform (sXP) ensures the MC853 sits at the heart of your document workflow with a simple to use, customisable 7" color LCD touch screen that operates the device and all the document functions.

Main features

Product Description	OKI MC853DNP - multifunction printer - colour
Device Type	Multifunction printer
Fax Type	Super G3 - plain paper
Printing Technology	LED (colour)
Monthly Duty Cycle (max)	60000 pages
Recommended Monthly Volume	8000 pages
Max Copying Speed	Up to 23 ppm (mono) / up to 23 ppm (colour)
Max Copying Resolution	Up to 600 dpi (mono) / up to 600 dpi (colour)
Max Printing Speed	Up to 23 ppm (mono) / up to 23 ppm (colour)
Max Printing Resolution	Up to 1200 x 600 dpi (mono) / up to 1200 x 600 dpi (colour)
Max Fax Transmission Speed	33.6 Kbps
Scanning	600 x 600 dpi

Display	7"
Original Size	A6 (105 x 148 mm) (min) - 297 x 431.8 mm (max)
Original Type	Sheets
Document Feeder Capacity	100 sheets
Media Size	A6 (105 x 148 mm) (min) - 297 x 1321 mm (max)
Media Type	Transparencies, envelopes, plain paper, labels, banner
Standard Media Capacity	2005 sheets
Bypass Feeder Capacity	100 sheets
Output Trays Capacity	450 sheets
Automatic Duplexing	Yes (copying) Yes (printing) Yes (scanning)
Connection Availability	Yes
Interface	USB 2.0, Gigabit LAN, USB host
AirPrint Enabled	Yes
Office Machine Features	Save to USB flash drive, scan to e-mail, scan to folder
Power	AC 230 V (50/60Hz)
Dimensions (WxDxH)	56.3 cm x 60 cm x 121.6 cm
Weight	89.3 kg
Microsoft Certification	Compatible with Windows 7
Environmental Standards	ENERGY STAR Qualified

Extended details

General	
Device Type	Multifunction printer
Fax Type	Plain paper
Printing Technology	LED - colour
Monthly Duty Cycle (max)	60000 pages
Recommended Monthly Volume	8000 pages
Display Diagonal Size	7"
Display Features	Touch screen
Connection Availability	Yes
Interface	USB 2.0, Gigabit LAN, USB host
AirPrint Enabled	Yes
Office Machine Features	Save to USB flash drive, scan to e-mail, scan to folder
Memory	
Standard Memory	1.25 GB
Hard Disk Drive	250 GB
Copying	
Max Copying Speed	Up to 23 ppm (mono) / up to 23 ppm (colour)
Max Copying Resolution	Up to 600 dpi (mono) / up to 600 dpi (colour)
Preset Enlargements	400%
Preset Reductions	25%
Maximum Copies	999

Automatic Duplexing	Yes
Printing	
Max Printing Resolution	Up to 1200 x 600 dpi (mono) / up to 1200 x 600 dpi (colour)
Max Printing Speed	Up to 23 ppm (mono) / up to 23 ppm (colour)
Printer Drivers / Emulations	PCL 6, PostScript 3, PCL 5c, IBM Proprinter, PDF 1.7, XPS, EPSON FX
Image Enhancement Technology	OKI ProQ2400 Multilevel
Automatic Duplexing	Yes
First Print Out Time B/W	14 sec
First Print Out Time Colour	14 sec
Scanning	
Automatic Duplexing	Yes
Optical Resolution	600 x 600 dpi
Colour Depth	24-bit
Fax Machine	
Compatibility	Super G3
Max Transmission Speed	33.6 Kbps
Total Memory Capacity	Up to 400 pages
Fax Machine Features	
One-Touch Dialing	40 station(s)
Speed Dialing	1000 station(s)
Broadcast Transmission	100 stations
Features	Group dialling
Document & Media Handling	
Min Original Size	A6 (105 x 148 mm)
Max Original Size	297 x 431.8 mm
Original Type	Sheets
Document Feeder Capacity	100 sheets
Min Media Size	A6 (105 x 148 mm)
Max Media Size	A3
Min Media Weight	60 g/m ²
Max Media Weight	256 g/m ²
Supported Media Type	Transparencies, envelopes, plain paper, labels, banner
Supported Media Sizes	A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A3 (297 x 420 mm), B4 (250 x 353 mm), A6 (105 x 148 mm), B6 (125 x 176 mm)
Supported Envelope Sizes	International DL (110 x 220 mm), Com-10 (105 x 241 mm), International C5 (162 x 229 mm), International C4 (229 x 324 mm)
Standard Media Capacity	2005 sheets
Bypass Feeder Capacity	100 sheets
Output Trays Capacity	450 sheets
Document & Media Handling Details	RADF - 100 sheets size: B5 (176 x 250 mm) - A3 (297 x 420 mm) weight: 60 g/m ² - 120 g/m ² Bypass tray - 100 sheets size: A6 (105 x 148 mm) - 297 x 1321 mm weight: 64 g/m ² - 256 g/m ² Input tray - 300 sheets size: B5 (176 x 250 mm) - A3 (297 x 420 mm) weight: 64 g/m ² - 220 g/m ² 3 x input tray - 535 sheets size: B5 (176 x 250 mm) - A3 (297 x 420 mm) weight: 64 g/m ² - 176 g/m ²

Speed Details	Copying: up to 23 ppm (A4) - B/W Copying: up to 23 ppm (A4) - colour Printing: up to 23 ppm (A4) - B/W Printing: up to 23 ppm (A4) - colour Printing: up to 13 ppm (A3) - B/W Printing: up to 13 ppm (A3) - colour Scanning: up to 50 spm - B/W Scanning: up to 50 spm - colour
Connections	
Interfaces	1 x USB 2.0 - 4 pin USB Type B 1 x Gigabit LAN - RJ-45 2 x USB host - 4 pin USB Type A
Security Protocols & Features	LDAP, SSL, TLS, IPsec, 802.1x, IP filtering, MAC address filtering
Operating System Support	Linux, MS Windows Server 2008 R2 x64 Edition, MS Windows Server 2012 x64 Edition, MS Windows Server 2003 (32/64-bits), MS Windows Server 2008 (32/64-bits), MS Windows Server 2012 R2 x64 Edition, MS Windows Vista (32/64 bits), MS Windows 7 (32/64 bits), Apple Mac OS X 10.6.8 - 10.10, Windows 8 (32/64-bits), Windows 8.1 (32/64-bits)
Software Included	OKI PrintSuperVision, OKI Color Swatch Utility, OKI Template Manager, OKI LPR, ABBYY FineReader 12 Sprint, SENDYS Explorer LITE
Power	
Voltage Required	AC 230 V (50/60Hz)
Power Consumption Operational	1400 Watt
Power Consumption Standby	120 Watt
Power Consumption Sleep	30 Watt
Miscellaneous	
Warm-Up Time	32 sec
First Copy Out Time B/W	14.5 sec
First Copy Out Time Colour	14.5 sec
Included Accessories	Caster base
Consumables Included	1 x Cartridge (black) - up to 2500 pages 1 x Cartridge (cyan) - up to 2500 pages 1 x Cartridge (magenta) - up to 2500 pages 1 x Cartridge (yellow) - up to 2500 pages
Compatible with Windows 7	"Compatible with Windows 7" software and devices carry Microsoft's assurance that these products have passed tests for compatibility and reliability with 32-bit and 64-bit Windows 7.
Environmental Standards	
ENERGY STAR Certified	Yes
Manufacturer Warranty	
Service & Support	Limited warranty - 3 years
Dimensions & Weight	
Width	56.3 cm
Depth	60 cm
Height	121.6 cm
Weight	89.3 kg
Environmental Parameters	
Sound Emission	37 dBA (idle) / 54 dBA (operating)
Min Operating Temperature	10 °C
Max Operating Temperature	32 °C
Humidity Range Operating	20 - 80%

