## **OVERVIEW**

| 1. Card reader       | 5. HDMI                                  |
|----------------------|--|
| 2. USB-A (USB 5Gbps) | 6. USB-A (USB 5Gbps)                     |
| 3. Power connector   | 7. USB-C (USB 5Gbps), data transfer only |
| 4. Ethernet (RJ-45)  | 8. Combo audio jack                      |

## PERFORMANCE

### Processor

#### **Processor Family**

12th Generation Intel<sup>®</sup> Core<sup>™</sup> i5 / i7 Processor

#### Processor\*\*

| Processor Name  | Cores                    | Threads | Max Frequency                 | Cache | Processor Graphics              |
|-----------------|--------------------------|---------|-------------------------------|-------|---------------------------------|
| Core i5-12450HX | 8 (4 P-core + 4 E-core)  | 12      | P-core 4.4GHz / E-core 3.1GHz | 12MB  | Intel <sup>®</sup> UHD Graphics |
| Core i7-12650HX | 14 (6 P-core + 8 E-core) | 20      | P-core 4.7GHz / E-core 3.3GHz | 24MB  | Intel <sup>®</sup> UHD Graphics |

## AI (Artificial Intelligence)

**AI PC Category** 

AI-Powered Gaming PC

## **Operating System**

**Operating System**\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No preload operating system

## Graphics

#### Graphics\*\*

| Graphics                                 | Туре     | Memory       | Boost<br>Clock | TGP | AI TOPS<br>(Peak) | Key Features   |
|--|----------|--------------|----------------|-----|-------------------|--|
| NVIDIA® GeForce RTX™ 2050<br>Laptop GPU  | Discrete | 4GB<br>GDDR6 | 1575 MHz       | 65W | -                 | DLSS 2, Dynamic Boost 2.0,<br>DirectX® 12 Ultimate   |
| NVIDIA® GeForce RTX™ 3050<br>Laptop GPU  | Discrete | 6GB<br>GDDR6 | 1432 MHz       | 65W | 142 TOPS          | DLSS 2, Dynamic Boost 2.0,<br>DirectX® 12 Ultimate   |
| NVIDIA® GeForce RTX™ 4050<br>Laptop GPU  | Discrete | 6GB<br>GDDR6 | 2145 MHz       | 65W | 194 TOPS          | DLSS 3.5, Dynamic Boost 2.0,<br>DirectX® 12 Ultimate |
| NVIDIA® GeForce RTX™ 3050A<br>Laptop GPU | Discrete | 4GB<br>GDDR6 | 2145 MHz       | 65W | -                 | DLSS, Dynamic Boost 2.0, DirectX®<br>12 Ultimate     |

## **Monitor Support**

#### **Monitor Support**

Supports up to 2 independent displays (native display and 1 external monitor via HDMI®) • HDMI® supports up to 8K@60Hz

## Chipset

#### Chipset

Intel<sup>®</sup> HM670 chipset

### Memory

Max Memory<sup>[1]</sup>

# Up to 32GB DDR5-4800

Memory Slots One DDR5 SO-DIMM slot

## Memory Type<sup>[2]</sup>

DDR5-4800

#### Notes:

[1] Maximum memory is only to test technical readiness of notebook. Available memory to sell would vary.

[2] Installed memory is actually DDR5-5600 but may run as DDR5-4800 depending on the memory support capability of

### Storage

#### Storage Support<sup>[1]</sup>

Up to two drives, 2x M.2 SSD • M.2 2242 SSD up to 1TB each

### Storage Slot

Two M.2 2242 PCIe<sup>®</sup> 4.0 x4 slots

#### Storage Type

| Disk Type    | Interface                 | Offering    |  |
|--------------|---------------------------|-------------|--|
| M.2 2242 SSD | PCIe® NVMe®, PCIe® 4.0 x4 | 512GB / 1TB |  |

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

## **Removable Storage**

#### **Card Reader**

SD card reader

## **Multi-Media**

#### Audio Chip

High Definition (HD) Audio, Realtek® ALC3287 codec

#### Speakers

Stereo speakers, 2W x2, optimized with Nahimic Audio

#### Microphone

Dual-microphone array

#### Camera

HD 720p with privacy shutter, fixed focus

## Battery

#### Battery

Integrated Li-Polymer 57Wh battery, supports Rapid Charge Pro (charge up to 50% in 30min)

#### Max Battery Life<sup>[1]</sup>

Local video (1080p) playback@150nits: 6 hr

Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark® 2018, MobileMark® 25, MobileMark® 30, JEITA 2.0, JEITA 3.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

### **Power Adapter**

#### **Power Adapter**

135W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz

## DESIGN

## Display

#### Display

| Size  | Resolution | Touch | Туре               | Brightness | Surface | Aspect<br>Ratio | Contrast<br>Ratio | Color<br>Gamut | Refresh<br>Rate | Viewing Angle<br>(L/R/U/D) |
|-------|------------|-------|--------------------|------------|---------|-----------------|-------------------|----------------|-----------------|----------------------------|
| 15.6″ | FHD        | None  | IPS <sup>[1]</sup> | 300nits    | Anti-   | 16:9            | 1000:1            | 100%           | 144Hz           | 85° / 85° / 85° /          |

PSREF

Reference

**Product Specifications** 

Lenovo

PSREF Product Specifications Reference

Lenovo

| (1920x1080) |  | glare |  | sRGB | 85° |  |
|-------------|--|-------|--|------|-----|--|

### Touchscreen

Non-touch

Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

### **Input Device**

#### Pen

No support

Keyboard

6-row, multimedia Fn keys, numeric keypad, Copilot key

#### Keyboard Backlight

- White backlight
- Non-backlight

#### Touchpad

Buttonless Mylar<sup>®</sup> surface multi-touch touchpad, supports Precision TouchPad (PTP), 69 x 104 mm (2.72 x 4.09 inches)

## Mechanical

#### Dimensions (WxDxH)<sup>[1]</sup>

359.3 x 236 x 19.9-22.95 mm (14.15 x 9.29 x 0.78-0.90 inches)

#### Weight<sup>[2]</sup>

Starting at 1.77 kg (3.9 lbs)

#### Case Color

Luna grey

#### Surface Treatment

IMR (in-mold decoration by roller)

Case Material

PC-ABS (top), PC-ABS (bottom)

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo<sup>®</sup> lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

### Network

#### Ethernet<sup>[1]</sup>

Gigabit Ethernet, 1x RJ-45, supports Wake-on-LAN

#### WLAN + Bluetooth®[2]

Wi-Fi<sup>®</sup> 6, 802.11ax 2x2 Wi-Fi<sup>®</sup> + Bluetooth<sup>®</sup> 5.2, M.2 card

#### WWAN

No support

#### Notes:

[1] Wake-on-LAN needs the power adapter plugged in.

[2] Bluetooth® may operate at a lower version than hardware design depending on the factors such as operating system, driver, etc.

### Ports

#### Standard Ports<sup>[1]</sup>

- 2x USB-A (USB 5Gbps / USB 3.2 Gen 1)
- 1x USB-C<sup>®</sup> (USB 5Gbps / USB 3.2 Gen 1), data transfer only
- 1x HDMI<sup>®</sup> 2.1, up to 8K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Ethernet (RJ-45)
- 1x Card reader
- 1x Power connector

#### Notes:

[1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

## **SECURITY & PRIVACY**

### Security

#### Security Chip

Firmware TPM 2.0 integrated in chipset

#### Fingerprint Reader

No fingerprint reader

#### **BIOS Security**

- Administrator password
- Master hard disk password
- Power-on password
- User hard disk password
- User password
- Sel<sup>1</sup>-healing BIOS
- More BIOS security features, please visit <u>BIOS Simulator</u>

#### **Other Security**

Camera privacy shutter

## SERVICE

### Warranty

#### **Base Warranty\*\***

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service
- No base warranty

## ACCESSORIES

## **Bundled Accessories**

#### **Bundled Accessories**

- Lenovo<sup>®</sup> LOQ<sup>™</sup> M100 RGB Mouse (USB connector)
- None

## **OPERATING REQUIREMENTS**

### **Operating Environment**

#### Temperature<sup>[1]</sup>

- At altitudes up to 2438 m (8,000 ft)
- Operating: 5°C to 35°C (41°F to 95°F)
- Storage: 5°C to 43°C (41°F to 109°F)

#### **Relative Humidity**

Lenovo

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

# CERTIFICATIONS

## **Green Certifications**<sup>III</sup>

#### **Green Certifications**

- ErP Lot 6/26
- RoHS compliant

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <u>https://compliance.lenovo.com</u>.

- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.









