

VK2 RGB

ATX PC Case

Manual

Specifications

General:

■ Form Factor:	ATX
■ Expansion Slots:	7
■ Interior Painting:	✓
■ Tool-Free Devices Installation:	✓
■ Cable Management System:	✓
■ Side Panel:	Tempered Glass
■ Color Versions:	Black, White
■ Dimensions (L x W x H):	40.4 x 20.6 x 48.7 cm

RGB Compatibility:

■ Type:	Addressable
■ Ports:	4
■ Manual Control:	14 Modes
■ Mainboard Compatibility:	MSI Mystic Light Sync, ASUS Aura Sync, Gigabyte RGB Fusion Ready, ASRock Polychrome Sync
■ RGB Pinout:	5V-D-coded-G

Max. Drive Bays:

■ 3.5"	2
■ 2.5"	4

I/O:

■ USB 3.0 (Top):	2
■ Audio (Top):	✓ (TRRS)

Fan Configuration:

■ Front Panel:	3x 120 mm Fan (Pre-installed) or Radiator (Optional)*
■ Rear Panel:	1x 120 mm Addressable RGB LED PWM Fan (Pre-installed)
■ Top Panel:	2x 120 mm or 2x 140 mm Fan or Radiator (Optional)
■ Bottom Panel:	2x 120 mm Fan (Optional)

Compatibility:

■ Mainboard:	Mini-ITX, Micro-ATX, ATX
■ Max. Length Graphics Card:	35.0 / 37.5** cm
■ Max. Height CPU Cooler:	16.0 cm
■ Max. Length PSU:	21.0 cm
■ Max. Height Radiator incl. Fan (Front):	5.7 cm
■ Max. Height Radiator incl. Fan (Top):	5.7 cm




Package Contents:

■ VK2 RGB, Accessory Set




* Installation of a 360 mm radiator can conflict with installation of a 3.5" HDD

** Without front fan





Install 2.5" HDDs/SSDs






Install 2.5" HDDs/SSDs







Install 2.5" HDDs/SSDs










Install 3.5" HDDs




Install 3.5" HDDs




Install Add-On Cards



Detach Dust Filters




Install Fans




Install Radiator under Top Panel


120 mm
140 mm
240 mm
280 mm
Radiator



Install Radiator behind Front Panel



120 mm
140 mm
240 mm Radiator
280 mm
360 mm



Addressable RGB LED Fans / Strips





Mainboard

Addressable RGB Pin Header

Manually Control Addressable RGB

Addressable RGB LED Fans / Strips



Press reset switch ☐ for 2 seconds to turn off the LED lights.
When the LED lights are off, press reset switch ☐ to turn on the LED lights.

Legal Disclaimer

For potential loss of data, especially due to inappropriate handling, Sharkoon assumes no liability.

All named products and descriptions are trademarks and/or registered trademarks of the respective manufacturers and are accepted as protected. As a continuing policy of product improvement at Sharkoon, the design and specifications are subject to change without prior notice. National product specifications may vary.

All rights reserved especially (also in extracts) for translation, reprinting, reproduction by copying or other technical means. Infringements will lead to compensation. All rights reserved especially in case of assignation of patent or utility patent. Means of delivery and technical modifications reserved.

Disposal of your old products

Your product is designed and manufactured with high quality materials and components, which can be recycled and reused.



When this crossed-out wheeled bin symbol is attached to a product, it means the product is covered by the European Directive 2012/19/EU.

Please be informed about the local separate collection system for electrical and electronic products. Please act according to your local rules and do not dispose of your old products with your normal household waste. The correct disposal of your old product will help prevent potential negative consequences to the environment and human health.

Follow us on social media!



Facebook



Instagram



YouTube



TikTok



X

Sharkoon Technologies GmbH

Grüninger Weg 48

35415 Pohlheim

Germany

© **Sharkoon Technologies 2024**

