

i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station + Power Delivery 85W

i-tec USB 3.0 / USB-C / Thunderbolt 3 5K Universal Dual Display Docking Station, 2x 4K 60Hz Video, 2x HDMI, 2x Display Port, 1x GLAN Ethernet, 5x USB-A 3.0, 1x USB-C, Power Adapter 100W, 1x Audio Input / Output, On/Off Switch, charging-up via USB-C (up to 85W), Power Adapter 100W, Kensington Lock, for Laptops, Tablets, Windows, Mac OS, Linux, Android, Thunderbolt 3 compatible



PRODUCT DESCRIPTION

Universal dual docking station compatible with USB 3.0, USB-C and Thunderbolt 3 notebooks, across all notebook brands and platforms. Suitable for countless user scenarios, including home use, SOHO, SMB and Enterprise. The perfect solution for businesses with a mixed notebook estate, operating a hot desk environment, or managing the transition from USB-A 3.0 to USB-C notebooks. Features the latest DisplayLink and Texas Instruments technology, enabling the transfer of high data volumes between the docking station and host, high image stability and a robust internet connection. The dock provides up to 85W USB-C Power Delivery via your USB-C or Thunderbolt 3 port, so you can work and charge your notebook via a single USB cable.

- Connect dual 4K/60Hz external displays, or a single 5K/60Hz.
- Features four graphics outputs, two HDMI, and two DisplayPort.
- 5x USB-A 3.0 ports (2.0 compatible) make it easy to connect all of your existing USB devices and peripherals.
- Gigabit Ethernet RJ-45 port provides reliable, robust and high-speed internet connection, supporting 10/100/1000 Mbps speeds.
- Separate audio in/out jacks on the front panel.
- Kensington lock slot provides additional security, especially for those working regularly in shared offices or public spaces.
- Power saving On/Off switch on the rear panel.
- Ergonomically designed so can be used as a notebook stand.
- Supports Windows 7/8/8.1/ 10 32/64 bit, Mac OS X, Linux Ubuntu 14.04 / 16.04, Android 6 and later.
- Supplied with 100W (20V, 5A) professional quality power supply and 90 cm USB-C 3.1 cable with USB-C and USB-A 3.0 plugs.

If the docking station is connected via USB 3.0, charging of laptops and tablets is not supported

PRODUCT FEATURES

- 1x USB-C port for connecting to the host device with USB-C or USB-A port (cable USB-C and adapter from

- USB-C to USB 3.0 is included)
- Docking station technology: [DisplayLink](#) + [USB-C PD](#)
- Power Delivery: 85W
- Video ports:
 - 2x DisplayPort ([DP++ support](#))
 - 2x HDMI
- Supported Resolutions:
 - 1 monitor - 1x DP → up to 4K/60Hz
 - 1 monitor - 1x HDMI → up to 4K/60Hz
 - 1 monitor - 2x DP → up to 5K/60Hz*
 - 2 monitors - 1x DP + 1x DP → up to 2x 4K/60Hz
 - 2 monitors - 1x DP + 1x HDMI → up to 2x 4K/60Hz
 - 2 monitors - 1x HDMI + 1x HDMI → up to 2x 4K/60Hz
- 1x USB-C port gen. 1 (for data only)
- 4x USB 3.0 port
- 1x USB 3.0 port with fast charge support (BC 1.2)
- 1x Ethernet GLAN RJ-45 port (DisplayLink DL-6950)
- 1x 3,5mm Audio output, 1x 3,5mm Microphone input
- 1x Power input (DC 20V/5A)
- MAC Address cloning: Yes (using [i-tec Docker Pro](#) software)
- WOL: S1, S2, S3
- On/Off switch
- LED indicator
- Kensington lock support
- USB-C cable with USB-C to USB-A adapter (100 cm)
- OS: Windows 10 / 11, macOS, Android 5 or later, Chrome OS R51 or later, Linux Ubuntu
- Easy driver installation ([Windows](#), [MacOS](#), [Ubuntu](#), [Android \(external link\)](#))
- Product dimensions: 245 x 95 x 30 mm
- Product weight: 330 g
- Package dimensions: 265 x 244 x 40 mm
- Package weight: 1380 g

SYSTEM REQUIREMENTS

Hardware Requirements:

- Device with a free USB-A, USB-C, USB4 or Thunderbolt™ 3/4 port

Power Delivery Requirements:

- Device with a free USB-C, USB4 or Thunderbolt™ 3/4 port with Power Delivery support

Operating System:

- Windows 10 / 11, macOS, Android 5 or later, Chrome OS R51 or later, Linux Ubuntu

* 5K resolution is supported only by Windows

If the docking station is connected via USB 3.0, charging of laptops and tablets is not supported

SPECIFICATION

Part Number	Product Description & EAN
-------------	---------------------------

CADUAL4KDOCKPD	i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station + Power Delivery 85W EAN: 8595611702495
CADUAL4KDOCKPDUK	i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station + Power Delivery 85W EAN: 8595611702501
Hardware	
Bus type	USB-C, USB-3.0, Thunderbolt-3, Thunderbolt-4
Ports/Connectors	
System Requirements	
Operating system	Windows 10/11 macOS X Android 5 or later Linux Chrome OS R51 or later
Other features	
Colour	black
Housing Material	ABS
Product Dimensions	245 x 95 x 30 mm
Product Weight	330 g
Package Weight	1380 g
Packaging Dimensions (LxWxH)	265 x 244 x 40 mm
Support	
Warranty period	2 years
Technical support	lifetime
Package contents	
Product	
USB-C cable with USB-C to USB-A adapter (100cm)	
Power adapter (DC cable 110cm, power cable 170cm)	
Manual	

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.pro](https://www.i-tec.pro). Specifications are subject to change without notice.

Updated 23.3.2023