



## KX80S

### 80mm Receipt/Ticket Kiosk Printer

**KX80S** is the **ultra fast** printer for receipts and tickets. Its **sturdy cutter** is capable of delivering full as well as partial cuts. Its **compact design**, easy inspection features, and its **integrated Roll holder**, make it a reliable and flexible device.



## CHARACTERISTICS

### 1. Printing speed

High: 300 mm/s

### 2. Anti-jam

Design

### 3. Robust cutter

Full and partial cutting

### 4. Easy

To inspect and use design

### 5. Integrated

Roll holder and NPE

---

## APPLICATIONS


- Vending machines
  - Self-service
  - Queue management systems
  - Information kiosks
  - Automatic payments
  - Parking
-

Image not found or type unknown

## TECHNICAL SHEET

|                               |                                                                            |
|-------------------------------|----------------------------------------------------------------------------|
| Printing method               | Thermal with fixed head                                                    |
| Resolution                    | 203 dpi                                                                    |
| Printing speed                | max 300 mm/s                                                               |
| Paper width                   | 80/82.5 mm                                                                 |
| Paper thickness               | from 50µm to 200µm                                                         |
| Roll diameter                 | 100 mm                                                                     |
| Interfaces                    | USB 2.0 full speed<br>Serial RS232<br>Ethernet                             |
| Supported Barcodes            | UPC-E, EAN8, EAN13, CODE39, CODE93, CODE128, ITF, CODABAR, PDF417, QR CODE |
| Character Set                 | European, English, American, Japanese, Korean                              |
| MTBF Cutter                   | 1M cuts, full or partial cutting                                           |
| MTBF Head                     | 150 Km                                                                     |
| Operating temperature         | from -20 to +60°C                                                          |
| Sensors                       | Cutter Home, Blackmark, Paper presence, Near paper end, Door opening       |
| Drivers                       | Windows® (32/64 bit);<br>Printer Driver Installer                          |
| Utility                       | Memory switch setting Utility, Logo setup tool, Firmware update            |
| Dimensions (with 100 mm roll) | 119.9 mm (L) x 187.8 mm (W) x 110.8 mm (H)                                 |
| Weight                        | 0,8 kg                                                                     |

## MODELS



### 915PF020100700

PRINTER KX80S ETH USB RS232  
WITH ROLL HOLDER

Via Berettine, 2 - 43010 Fontevivo PR - VAT: IT02498250345 - TEL: +39 0521 680111 - FAX: +39 0521 610701 - UNIQUE CODE: 8RQN7AZ

The technical data on this website are not binding and may be changed without advanced notice.

Last update: 28 August 2025