

1 Port PCI Express Gigabit Ethernet NIC Network Adapter Card

Product ID: ST1000SPEX



This PCI Express based Gigabit Ethernet Network Adapter Card offers a versatile solution that allows servers and desktop PCs to connect to a Gigabit network through a PCIe slot, providing full Gigabit bandwidth capacity with the dedicated bandwidth of the connected PCI Express bus to provide dependable connectivity.

Fully compliant with the 10/100/1000 Mbps IEEE 802.3 specification, this PCIe Gigabit NIC provides a maximum transfer speed of 1000Mbps (bidirectional - 2000Mbps total) - ensuring a high performance network connection. This adapter also offers 10/100/1000Mbps data rate auto-negotiation and full duplex operation that helps to optimize connection speeds and provide efficient performance.

The network adapter is compatible with Linux, Windows 2000, XP, XP-64bit, Server 2003, Server 2003-64-bit, Vista, Vista-64, 7, 7-64bit operating systems and includes full-height and low profile screw-on brackets for installation in standard, small/micro form factor computer cases as well as 1U and 2U servers.

RoHS Compliant Windows 7 Windows 7 RoHS Windows Server 2012 RoHS CCE FCC Windows 8 Windows 8

Certifications, Reports and Compatibility

Applications

· Add an additional Ethernet port to a workstation or server computer for redundancy or bridging



- Upgrade a computers 10/100 Ethernet port to a 1000 compatible port
- Add networking capabilities to an old system with no Ethernet port

Features

- A single 10/100/1000Mbps compatible RJ45 Ethernet port
- Network Link/Activity and 10/100/1000 Mbps LED indicators
- Fully Compliant with IEEE 802.3, IEEE 802.3u, IEEE 802.3x, and IEEE 802.3ab
- Jumbo frame support
- Full and half duplex support
- Supports Wake-on-LAN function
- Crossover Detection & Auto-Correction (Auto MDI/MDI-X)
- Includes a low profile installation bracket

Hardware		
	Warranty	2 Years
	Ports	1
	Interface	RJ45 (Gigabit Ethernet)
	Bus Type	PCI Express
	Card Type	Standard Profile (LP bracket incl.)
	Chipset ID	Realtek - RTL8111DL
Performance		
	Maximum Data Transfer Rate	1000 Mbps
	Compatible Networks	10/100/1000 Mbps
	Auto MDIX	Yes
	Full Duplex Support	Yes
	Supported Protocols	CSMA/CD

Connector(s)



	Connector Type(s)	1 - PCI Express x1	
	External Ports	1 - RJ-45	
Software			
	OS Compatibility	Windows 8 / 8.1 (32/64bit), 7 (32/64), Vista(32/64), XP(32/64), 2000	
		Windows Server 2012, 2008 R2, 2003(32/64)	
		Mac OS 10.4 and up (Intel based - Tested up to 10.9)	
		Linux	
Indicators			
	LED Indicators	2 - 100 Link/Active LED (Green)Gigabit Link/Active LED (Green)	
Environmental			
	Operating Temperature	0 degrees Celcius to 50 degrees Celcius	
	Storage Temperature	20 degrees Celcius to 70 degrees Celcius	
Physical Characteristics			
	Product Length	4.7 in [12 cm]	
	Product Width	0.8 in [21 mm]	
	Product Height	3.6 in [9.2 cm]	
	Weight of Product	1.4 oz [40 g]	
Packaging Information			
	Package Length	6.9 in [17.5 cm]	
	Package Width	5.5 in [14 cm]	
	Package Height	1.2 in [30 mm]	
	Shipping (Package) Weight	0.3 lb [0.1 kg]	
What's in the Box			
	Included in Package	1 - Gigabit Ethernet PCI Express Card	
		1 - Low Profile Bracket	
		1 - Driver CD	



1 - Instruction Manual

*Product appearance and specifications are subject to change without notice.

