

GeForce RTX 2080 SEA HAWK EK X



SPECIFICATION

Model Name	GeForce RTX™ 2080 SEA HAWK EK X
Graphics Processing Unit	NVIDIA® GeForce RTX™ 2080
Interface	PCI Express x16 3.0
Cores	2944 Units
Core Clocks	Boost: 1860 MHz
Memory Speed	14 Gbps
Memory	8GB GDDR6
Memory Bus	256-bit
Output	DisplayPort x 3 (v1.4) / HDMI 2.0b x 1 / USB Type-C x1
HDCP Support	2.2
Power consumption	260 W
Power connectors	8-pin x 2
Recommended PSU	650 W
Card Dimension(mm)	305 x 169.3 x 41.49 mm
Weight (Card / Package)	1365 g / 2010 g
Afterburner OC	Y
DirectX Version Support	12 API
OpenGL Version Support	4.5
Multi-GPU Technology	NVIDIA® NVLINK™ (SLI-Ready), 2-way
Maximum Displays	4
VR Ready	Y
G-SYNC™ technology	Y

FEATURE



FULL COVER EK WATERBLOCK

Central inlet split flow cooling engine design delivers the best cooling performance for liquid cooling systems.



NICKEL-PLATED COPPER BASE

Copper has the best thermal performance and the nickel layer prevents corrosion and increases wear resistance for lasting performance.



SOLID BACKPLATE

Increases toughness of the card to prevent bending while complementing the design.



RGB Mystic Light

Customize colors and LED effects with exclusive MSI software and synchronize the look & feel with other components.



MULTI GPU SUPPORT

MSI graphics cards fully support multi-GPU setups using NVIDIA® SLI® technology on eligible GPU's.

GeForce RTX 2080 SEA HAWK EK X

Adaptive Vertical Sync	Y
Digital Maximum Resolution	7680 x 4320
Accessories	6-pin to 8-pin power cable x 1



VR Ready

Certified to provide the performance required for a smooth experience in your VR adventures.



MSI Afterburner

The ultimate overclocking software with advanced control options and real-time hardware monitor.



OC PERFORMANCE

MSI OC graphics cards are equipped with higher clock speeds out of the box for increased performance.

CONNECTIONS



1. DisplayPort
2. HDMI
3. USB Type-C