

Product Highlights

True Gigabit Speed

Enjoy lightning-fast Gigabit speeds without the need for installing a new network card simply by using any available USB Type-C port on your Windows and macOS computers, Chromebooks and iPad Pro

Easy Expansion

Easily add 4 x USB 3.0 ports to any laptop or computer with a spare USB-C port. Simply plug in, no need to install additional software

Ultra-Fast USB 3.0

SuperSpeed USB 3.0 technology allows you to transfer files up to 10 times faster than with USB 2.0



DUB-2335 6-in-1 USB-C Hub with HDMI/Gigabit Ethernet/Power Delivery

Features

High Fidelity Video Compatibility

Ultra HD video resolution up to 4K @ 30 Hz¹


Gigabit Ethernet Connectivity


- · Achieve transfer speeds of up to 1 Gbps
- Status LEDs for connection status and data transfer speed
- Auto 10/100/1000 Mbps speed detection with auto-negotiation to always use the highest available speed

Versatile and Convenient

- Three USB 3.0 SuperSpeed 5 Gbps ports
- One USB 3.0 Type-C port with data sync and power delivery of up to 60 W $(20\,V @ 3\,A)^2$
- Simply plug-and-play, no software required
- Compact design
- Compatible with Windows and macOS computers, Chromebooks and iPad Pro

The DUB-2335 6-in-1 USB-C Hub with HDMI/Gigabit Ethernet/Power Delivery instantly adds a second display, a Gigabit Ethernet port, three USB 3.0 ports, and a USB-C port with charging ability to your Windows and macOS computers, Chromebooks and iPad Pro. Just plug the DUB-2335 into an available USB-C port, and you're ready to send content to your TV or monitor in full resolution with the reliability of a wired video connection. You can also connect up to three USB devices and sync and charge one USB-C device, meaning that you don't have to give up that USB-C port this hub is connected to.





DUB-2335 6-in-1 USB-C Hub with HDMI/Gigabit Ethernet/Power Delivery

Technical Specifications		
Connectivity		
Interfaces	 One USB Type-C connector Three USB 3.0 Type-A ports One USB Type-C/PD 3.0 port 	 One HDMI port One RJ-45 Ethernet port (10/100/1000 Mbps)
LEDs	 Power (per device) Solid green - power is on 	 Link (per Ethernet port) Solid green - Ethernet connection Speed (per Ethernet port) Flashing orange - data transmission
General		
Standards	 USB 3.0 USB 2.0 USB 1.1 IEEE 802.3 10Base-T 	 IEEE 802.3u 100Base-TX IEEE 802.3ab 1000Base-T Pause mode Wake-on-LAN
Data rate	• Up to 5 Gbps	• Up to 1000 Mbps (Ethernet)
Resolution	• 4K @ 30 Hz	
System requirements	 Windows 7/8/8.1/10, macOS (OS X 10.8 and above) Chromebook, iPad Pro 	• USB Type-C port
Physical		
Dimensions (W x H x D)	• 103 x 45.5 x 15 mm	
Weight	• 80 g	
Power	From computer (USB bus powered)	
Supplied charging voltage/current	• 20 V / 3 A (PD 3.0)	
Temperature	• Operating: 0 to 45 °C	 Storage: -10 to 70 °C
Humidity	Operating: up to 85% non-condensing	Storage: up to 85% non-condensing
Certifications	• CE	

¹ Please make sure that the USB Type-C port of your computer supports DP Alt (DisplayPort Alternate Mode).
² Please make sure that the USB Type-C port of your laptop supports PD 3.0.



For more information: eu.dlink.com

D-Link (Deutschland) GmbH, Schwalbacher Strasse 74, 65760 Eschborn, Germany D-Link (Europe) Ltd, Artemis Building, Odyssey Business Park, West End Road, South Ruislip HA4 6QE, United Kingdom Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2019 D-Link Corporation. All rights reserved. E&OE. Updated April 2022

