Gigaset



Information on the phone system:

 Detailed and up-to-date operating guide for your Gigaset phone

www.gigaset.com/manuals

→ Documentation relating to your base/router





Gigaset HX - the universal handset

With your Gigaset HX handset, you have purchased a high-quality, multifunctional and future-proof device.

You can use your handset with several different DECT bases.

On a Gigaset base

Connect your HX handset to a Gigaset base and use the many features with the quality you would expect from Gigaset.

If your Gigaset base is IP-compatible, you can also make broadband calls using your HX handset with the highest voice quality (HDSP).

In this guide, all functions that are available for your HX handset are detailed/described. The complete functionality with Gigaset bases is described in the guide relevant to your Gigaset system.

All Gigaset user guides can be found at → www.gigaset.com/manuals

On a DECT/GAP telephone or router from another manufacturer

The handset also functions with DECT/GAP telephones from other manufacturers, of course, as well as DECT routers. Additional information can be found at

www.gigaset.com/compatibility.

On DECT routers with CAT-iq 2.0/2.1

Your Gigaset HX handset is certified in accordance with the DECT/CAT-iq 2.0/2.1 standard. As a result, operation with a DECT router with CAT-iq functionality is possible.

Handset functions on a CAT-iq router (amongst others):

- full access to the central directory on the router as well as the local directory integrated in the handset.
- convenient calling and using of call lists,
- using several lines and call numbers (the relevant scope of the function is dependent on the country, network and router),
- enjoy excellent audio quality (certified HD-Voice[™] quality).
- → Details can be found in the relevant user guide for your router.

Additional information regarding your HX handset can be found at <u>www.gigaset.com/hx</u>

Details regarding the functionality of the handset on various bases and routers can be found at <u>www.gigaset.com/compatibility</u>

Contents

Overview	4
Safety precautions	6
Getting started	
Using the telephone	12
Getting to know your telephone	12
Making calls	
Local answer machine	19
Call lists	20
Message lists	21
Directories	23
Local handset directory	
Base directory	
Assignment of the control key to a directory	27
Additional functions	28
Calendar	28
Timer	30
Alarm clock	31
Baby monitor	32
ECO DECT	33
Protection against unwanted calls	34
Setting the handset	38
Appendix	48
Customer Service & Assistance	48
Manufacturer's advice	50
Technical data	52
Display icons	
Index	56
Open Source Software	60



Not all functions described in the user guide are available in all countries or from all network providers.

Overview

1 Display

2 Status bar (→ p. 54)

Icons display current settings and operating status of the telephone

3 **Display keys** (→ p. 13)

Various functions, depending on the operating situation

Changing key assignments (-> p. 44)

4 End call key / On/off key

End call; Cancel function; one level back

Press briefly

Back to idle mode; Switch the handset on/off Press and

5 Control key / Menu key (→ p. 12)

Open a menu; navigate in menus and entry fields: access functions

6 Hash key / Lock key

Lock/unlock the keypad; enter a dialling pause

Press and

Toggle between upper/lower Press briefly case and digits

7 Recall kev

Consultation call (flash)

▶ Press and hold

8 Microphone

9 Star key

Switch the ringtone on/off

Press and hold

Open the table of special characters:

Press briefly

10 Headset connector (3.5 mm jack)

11 Key 1

Select answer machine/ network mailbox Press and hold

12 Talk key / Handsfree key

Accept call; dial number displayed; switch between earpiece mode and handsfree mode; open the redial list

Press briefly

Start dialling

Press and hold

13 Message key (→ p. 21)

Access to the call and message lists; Flashes: new message or new call

 (\mathbf{i})

If multiple functions are listed, the button function depends on the situation.

Subject to technical and visual modifications as part of the product improvement process.



Illustration in the user guide



Warnings, which if not heeded, can result in injury to persons or damage to devices.



Important information regarding function and appropriate handling or functions that could generate costs.



Prerequisite for being able to carry out the following action.



Additional helpful information.

Keys

or C	Talk key	or 🔳	Handsfree key
•	End call key	0 _ to 9	Number / letter keys
()	Control key rim / centre	\blacksquare	Message key
R Recall key		*	Star key
# +0	Hash key		
OK, Back, Select	Change, Save,	Display keys	

Procedures

Example: Switching Auto answer on/off

Symbols	Meaning
>	Every arrow initiates an action.
 	When in idle status press the centre of the control key. The main menu opens.
▶ € □▶ OK	Navigate to the icon using the control key . Select OK to confirm. The submenu Settings opens.
➤ Telephony ➤ OK	Select the Telephony entry using the control key
▶ Auto Answer	The function to switch Auto answer on/off appears as the first menu item.
▶ Change	Select Change to activate or deactivate. Function is activated / deactivated .

Safety precautions



Read the safety precautions and the user guide before use.



The device cannot be used in the event of a power failure. In case of a power failure it is also **not** possible to make **emergency calls**.

If the LAN or Internet connection is down, functions that require an Internet connection are not available, such as Internet telephony (VoIP), online directories and the Info Center.

Emergency numbers cannot be dialled if the keypad/display lock is activated!



Use only rechargeable batteries that correspond to the specification (see list of permitted batteries www.gigaset.com/service). Never use a conventional (non-rechargeable) battery or other battery types as this could result in significant health risks and personal injury. Rechargeable batteries, which are noticeably damaged, must be replaced.



The handset must not be operated if the battery cover is open.

Ensure that the batteries can not be short-circuited by objects in the battery compartment.



Do not use the devices in environments with a potential explosion hazard (e.g. paint shops).



The devices are not splashproof. For this reason do not install them in a damp environment such as bathrooms or shower rooms.



Use only the power adapter indicated on the device.

Whilst charging, the power socket must be easily accessible.



Remove faulty devices from use or have them repaired by our Service team, as these could interfere with other wireless services.



Do not use the device if the display is cracked or broken. Broken glass or plastic can cause injury to hands and face. Send the device to our Service department to be repaired.



Do not hold the rear of the handset to your ear when it is ringing or when speaker mode is activated. Otherwise you risk serious and permanent damage to your hearing.

The phone may cause interference in analogue hearing aids (humming or whistling) or cause them to overload. If you require assistance, please contact the hearing aid supplier.



Keep small cells and batteries, which can be swallowed, out of the reach of children. Swallowing a battery can lead to burns, perforation of soft tissue and death. Severe burns can occur within 2 hours of swallowing.

In the case of a swallowed cell or battery, seek medical care immediately.



Using your telephone may affect nearby medical equipment. Be aware of the technical conditions in your particular environment, e.g. doctor's surgery. If you use a medical device (e.g. a pacemaker), please contact the device manufacturer. They will be able to advise you regarding the susceptibility of the device to external sources of high frequency energy (for the specifications of your Gigaset product see "Technical data").

Getting started

Contents of the package

- One handset, one battery cover, two batteries, one charging cradle with power adapter, one belt clip
- 1 x user guide



The charging cradle is designed for use in closed, dry rooms within a temperature range of $+5^{\circ}$ C to $+45^{\circ}$ C.

Never expose the telephone to heat sources, direct sunlight or other electrical devices.

Protect your telephone from moisture, dust, corrosive liquids and vapours.


The device's feet do not usually leave any marks on surfaces. However, due to the multitude of different varnishes and polishes used on furniture, contact marks on the surfaces cannot be completely ruled out.

Connecting the charging cradle

- Connect the flat plug of the power adapter 1.
- ▶ Plug the mains unit into your power socket 2.

To remove the plug from the charging cradle again:

- Disconnect the power adapter from the mains power supply.
- Press the release button 3.
- Remove the flat plug 4.



Setting up the handset for use

The display is protected by a plastic film. Please remove the protective film!

Inserting the batteries



Only use **rechargeable batteries** since otherwise major health risks and injury may result. For example, the outer casing of the batteries could be destroyed or the batteries could explode. The device could also malfunction or be damaged as a result of using batteries that are not of the recommended type.



 Insert the batteries (for correct +/- direction, see diagram).



- Fit the battery cover from the top.
- Press the cover until it clicks into place.



To re-open the battery cover:

 Insert a fingernail behind the notch at the top of the cover and slide it downwards.

Attaching the belt clip

The handset has notches on each side for attaching the belt clip.

- Attaching the belt clip: Press the belt clip onto the back of the handset so that the tabs on the belt clip click into place in the notches.
- Removing the belt clip: ▶ Press the centre of the belt clip firmly with your right thumb. ▶ Push the nail of your left thumb up between the clip and the casing. ▶ Slide the clip upwards to remove.



Charging the batteries

▶ Charge the batteries fully prior to first use in the charging cradle.

The batteries are fully charged when the power icon disappears from the display.





Batteries may heat up during charging. This is not dangerous.


After a time, the charge capacity of the battery will decrease for technical reasons.

Changing the display language

You can change the display language if the phone is set to a language not required.

- ▶ Press the centre of the control key
- Press the keys 6 and 5 slowly and successively . . . the language settings display appears, the set language (e. g. English) is highlighted (= selected).
- To select a different language: ▶ Press the control key until the desired language is highlighted on the display, e. g. Francais ▶ press the key on the right directly underneath the display to activate the language.
- ▶ To revert to idle status: ▶ Press and hold the End call key

Example



Registering the handset (depending on the base)



Registration must be initiated on the base station **and** on the handset. Both must be carried out **within 60 secs**.

On the base / On the router

Gigaset base:

 Press and hold the Registration/Paging key on the base station (approx. 3 sec.).

Other base station/router:

- ▶ Information regarding the registration procedure
 - → Documentation regarding your base/your router

On the handset

Once registration is complete, the handset returns to idle status. The internal number of the handset appears in the display, e.g. **INT 1**. If not, repeat the procedure.

A handset can be registered to up to four base stations.

Change of base:

Select Base ➤ OK ➤ use to select base or Best Base ➤ Select
 (= selected)

Best Base: The handset chooses the base station with the best reception as soon as it loses connection to the current base station.

De-registering the handset (depending on the base):

 De-register Handset ► OK... the handset being used is selected ► use to select another handset if required ► OK ► enter system PIN if required ► OK ► Confirm de-registration with Yes

If the handset is still registered to other bases, it switches to the base with the best reception (**Best Base**).

Data protection

If the product is connected to the Internet via an IP base station or router, it will automatically connect to the Gigaset support server sending regular product specific information. This information will for example be used for firmware updates or to provide internet services.

For more information regarding the stored data, please visit www.gigaset.com

Setting the date and time

Set the date/time so that the correct date and time can be assigned to incoming calls and to enable the alarm to be used.



Date and time are set using the base. The date and time can also be set on an IP-compatible base via a time server on the network.

If the base permits it, you can set the date and time manually using the handset.

▶ Press the display key Time

or, if the date and time have already been set:



The active input position flashes.

Change input position: >

To switch between the entry fields: >

Enter date:

▶ tenter the day, month and year in 8-digit format.

Enter time:

• enter hours and minutes in 4-digit format.

Save settings:

 Press the display key Save. . . . Saved is shown in the display and a confirmation tone sounds.

Return to idle status:

▶ Press and **hold** the End call key

The telephone is now ready for use.


Calls Time



Connecting the headset

 Use the 3.5 mm jack to connect the headset to the left-hand side of the handset 1.

The headset volume corresponds to the setting for the receiver volume.



Using the telephone

Getting to know your telephone

Switch the handset on/off

Switching on:	•	When the handset is switched off, press and hold the End call key
Switch off:	•	When the handset is in idle status, press and hold the End call key

If you place a deactivated handset into the charging cradle, it will automatically activate itself.

Lock/unlock the keypad

The keypad lock prevents any accidental use of the telephone.

Lock/unlock the keypad: ▶ # - Press and hold

Keypad lock activated: the following symbol appears O-



If a call is indicated on the handset, the keypad automatically unlocks and you can accept the call. It then locks again when the call is finished.

It is not possible to call emergency numbers either when keypad lock is activated.

Control key



The control key enables you to navigate the menus and input fields, and also to call up certain functions depending on the situation.

In the description below, the side of the control key (up, down, right, left) that you have to press in the different operating situations is marked in black, e. g. for "press right on the control key" or for "press the centre of the control key".

In idle status

Open the directory

Open the list of available online directories (Gigaset-IP base) or central directory of the base (e.g. CAT-iq base)

Open the main menu

Open the list of handsets

In submenus, selection and entry fields

Confirm a function

Ţ	Press briefly
	Press and hold





During a conversation

Open the directory

Open the list of available online directories (Gigaset-IP base) or central directory of the base (e.g. CAT-ig base)

Mute the microphone

Initiate an internal consultation call


Adjust the loudspeaker volume for receiver and handsfree mode





Display keys

The display keys perform a range of functions depending on the operating situation.



Display key icons - p. 54



When the phone is in idle, the display keys have pre-set functions, but they can be reassigned.

Menu guidance

The functions of your telephone are displayed in a menu that consists of several levels.



The menu guidance depends on the base. Depending on the number and type of available functions, these may be provided in different menus, e.g. at top level or in a submenu.

Examples: Audio Settings may be in the top-level menu or in the Settings submenu, while Calendar may be in the Organizer menu or the Additional Features menu.

Selecting/confirming functions

OK or press the centre of the control key Confirm selection using Back

Select

One menu level back using

Press and hold

Switch function on/off using

Change to idle status

Change

Activate/deactivate option using

enabled / disabled activated 🔘 / not activated 🔘

Main menu

The main menu functions are shown in the display as icons. The icon for the selected function is highlighted in colour and the name of the associated function appears in the display header.

Submenus

The functions in the submenus are displayed as lists.

To access a function: ▶ 📑 select a function ▶ OK

Press the display key Back

Return to the previous menu level:

or


▶ Press the End call key briefly

Returning to idle status



If a key is not pressed, after 2 minutes the display will **automatically** change to idle status.

Example



Example



Entering text

Input position

- select an entry field. A field is activated when the cursor is blinking inside it.

Correcting incorrect entries

Delete **characters** to the left of the cursor:

C Press **briefly**Delete **words** to the left of the cursor:

C Press and **hold**

Entering letters/characters

Multiple letters and numbers are assigned to each key between 2 and 9 and the 0 key. As soon as a key is pressed, the possible characters are displayed at the bottom of the display. The selected character is highlighted.

- Selecting letters/numbers: Press the key briefly several times in succession
- Switch between lower case, upper case and number entry mode: Press the hash key # When editing a directory entry, the first letter and each letter following a space is automatically in upper case.



The availability of special characters depends on the language setting.

Making calls

Making a call

•	enter the number briefly press the Talk key 🕜
or	
	press and hold the Talk key 🕜 🕨 enter the number
Ca	ncel dialling: ▶ Press the End call key 🕝
Th	n an IP-capable Gigaset base the connection is selected via the send connection (line) set for the handset. To use another line the press and hold the Talk key select the line in press and hold the Talk key select the line in press and hold the Talk key select the line in press and hold the Talk key in press select the line in press and hold the Talk key in press select the last digit is entered
D	ialling a number from the local directory
•	pen the directory ▶ select an entry ▶ press the Talk key
lf	multiple numbers are entered:
Þ	select a number 🕨 press the Talk key 🕜 the number is dialled
(For fast access (quick dial): Assign numbers from the directory to the digit or display keys.

Dialling from a public/central directory

Depending on the base to which the handset is connected, you can dial from a public directory or a central directory on a CAT-iq base.

press and hold

Further information → in the detailed user guide for your telephone

Dialling from the redial list

The redial list contains the 20 numbers last dialled with the handset.

▶ Briefly press the Talk key … the redial list is opened ▶ select an entry ▶ press the Talk key

If a name is displayed:

View . . . the number is displayed ▶ browse numbers if necessary ▶ when the desired number is reached press the Talk key

Managing entries in the redial list

▶ Briefly press the Talk key ... the redial list opens ▶ ... use to select an entry ▶ Options ... possible options:

Copy an entry to the directory: ▶ Copy to Directory ▶ OK Copy the number to the display:

▶ Display number ▶ OK ▶ Use as required < C to change or add ▶ → save as a new entry in the directory</p>

Delete the selected entry: Delete entry OK
Delete all entries: Delete List OK

Dialling from the call list

The call lists (p. 20) contain the most recent accepted, outgoing and missed calls.



The call lists can be displayed directly by pressing the display key **Calls** if the relevant function has been assigned to the display key.

The **Missed calls** list can also be opened by pressing the Message key

Incoming calls

An incoming call is indicated by ringing, by a display on the screen and by the flashing Talk ().

Accepting a call:

- Press the Talk key
- If Auto Answer is activated: Remove the handset from the charging cradle
- Forward to the answer machine: ▶ → ○
- · Accept a call on the headset

Switch off ringtone: Silent ... the call can be accepted for as long as it is shown on the display Cancel a call and transfer the number to the black list (when enabled):

▶ Block ▶ Yes

Reject the call: ▶ Press the End call key



When the black list is enabled (protection mode **Silent Call**), a call from a number entered in the black list is shown on the display with ((S)).

During a conversation

Handsfree mode

Activating/deactivating handsfree mode during a call, when establishing a connection and when listening to the answer machine (where the system has a local answer machine):

▶ Press the handsfree key

Placing the handset in the charging cradle during a call:

Press and hold down the handsfree key Place the handset in the charging cradle hold for a further 2 seconds

Call volume

Applies for the mode currently being used (handsfree, receiver or headset, when the handset has a headset connector):

▶ Press use to set the volume Save



The setting is automatically saved after around 3 seconds, even if **Save** is not pressed.

Muting the microphone

When the microphone is switched off, callers will no longer hear you.

Local answer machine

(only on Gigaset bases with local answer machine)

Switching the answer machine on/off

► Activation ► OK ► Activation ► OK ► select an answer machine (if there are several) ► Change ► On or Off ► Save

Playing back messages

Recording a personal announcement/advisory message

▶ End . . . the announcement is played back for you to check

Cancel the recording:

▶ Press the End call key 👩 or Back

Resume the recording:

▶ OK

Repeat the recording:

New

Call lists

The telephone saves different types of calls (missed, accepted and outgoing calls) in lists.



The base/router to which the handset is registered provides information on call numbers.


Detailed information can be found at - www.gigaset.com/compatibility.

List entry

The following information is displayed in the list entries::

- The list type (in the header)
- Icon for the type of entry:
 - Missed calls
 - New missed calls
 - Accepted calls
 - Outgoing calls (redial list)
 - Call on the answer machine (only for a system with a local answer machine)
 - New message on the answering machine
 - Call blocked, call in the black list

Example



- Caller's number. If the number is stored in the directory, the name and number type

 (Phone (Home), Phone (Office), Phone (Mobile)) are shown instead. In the event of missed calls, the number of missed calls from this number is also shown in square brackets.
- Connection by which the call was received/made
- Date and time of call (if set)

Opening the call list

Via the Message key (missed calls):

▶ Press the Message key Missed Calls: ▶ OK

Calling back a caller from the call list

► Call Lists ► OK ► select list ► OK ► select entry ► Press the Talk key

Additional options

View an entry:

Number into directory:

Select entry ▶ Options ▶ Copy to Directory ▶ OK

Number into black list:

Select entry ▶ Options ▶ Copy to Blocklist ▶ OK

Delete an entry:

Delete list:

Options ▶ Delete List ▶ OK ▶ Yes

Message lists

Notifications about missed calls, messages on the answering machine/network mailbox and missed alarms are saved in the messages list and can be shown on the handset display.

As soon as a **new message** arrives, an advisory tone will sound. The Message key **a** also flashes (if activated). Activation from the handset is only possible on Gigaset bases. use the web interface as required for CAT-iq routers. Information **b** user quide of the base/router.

Icons for message types and the number of new messages are shown on the idle display.

Notification for the following message types is available:

- on the answer machine/network mailbox
- in the missed calls list
- in the missed alarms list



The icon for the network mailbox is always displayed, provided the number is stored in the telephone. The other lists are only displayed if they contain messages.

Display messages:

- Press the Message key ... Messages lists that contain messages are displayed, Mailbox: is always displayed The number of new messages is shown in brackets.
- ► Select a list ► OK . . . the calls or messages are listed

 Network mailbox: The network mailbox number is dialled.



The message list contains an entry for every answer machine assigned to the handset, e.g. for the local answer machine on a Gigaset base/CAT-iq router (if available) or for a network mailbox.

Example




Example

Messages & Calls		
Missed Alarms:	(1)	
Missed Calls:	(3)	
Mailbox:	(0)	
Answer Mach.:	(5)	
Back	OK	

Activating/deactivating Message key flashing

Receipt of new messages is displayed by a flashing message key on the handset. This type of alert can be activated/deactivated for each message type.

In idle status:





The Message key does not flash

Confirm selected setting with **OK**

or

▶ return to idle display without making changes: ▶ Back

Directories

Local handset directory

The local directory is unique to the handset. However, it is possible to send entries to other handsets.



Information about online directories on IP-capable bases and central directories on CAT-iq bases \rightarrow user guide of the base.

Opening the directory

▶ **Briefly** press in idle status



Changing the assignment of the control key 🔲 to a directory: → p. 27

Directory entries

Number of entries: up to 200

Information: First name and surname, up to three telephone numbers, anniversary

with alert, VIP ringtone with VIP icon

Length of the entries: Numbers: max. 32 digits

First name, surname: max. 16 characters

Creating an entry

► Switch between the entry fields

Name:

enter the first and/or last name

Numbers

► Tel.1 - Type ► select a number type (Home, Office or Mobile) ► ► THE enter a number

Enter more numbers: toggle between the entry fields

Tel.1 - Type/Tel.2 - Type/Tel.3 - Type enter a number

Anniversary:

▶ activate/deactivate Anniversary ▶ enter date and time ▶ select type of alert (Visual only or a ringtone)

Example



Caller Melody (VIP): ▶ select the ringtone that will indicate a call from the participant if a Caller Melody (VIP) has been assigned, the entry will appear in the directory with the ▼IP icon. Save entry: ► Save The entry is only valid if it contains at least one number.
Searching for/selecting a directory entry
▶
or
▶ ▶ • enter initial letters (max. 8 letters) the display jumps to the first name starting
with these initial letters 🕨 👣 continue browsing to the desired entry, if needed
Scroll through directory: ▶ Press and hold
Displaying/changing an entry
▶ 🗊 ▶ 📑 select entry ▶ View ▶ 👣 select the field to be changed ▶ Edit
or
▶
Deleting entries
Delete the selected entry:
 ▶
Delete all entries: ▶
Setting the order of the directory entries
Directory entries can be sorted by first name or surname.
▶ Options ▶ Sort by Surname / Sort by First Name
If no name was entered, the default telephone number is shown in the surname field. These entries appear at the beginning of the list, regardless of how the entries are sorted.
The sort order is as follows:

Displaying the number of entries available in the directory

Space | Digits (0-9) | Letters (alphabetically) | Other characters.

▶ □ ▶ Options ▶ □ Available Memory ▶ OK

Copying number to the directory

Copy numbers to the directory:

- From a list e.g. the call list or the redial list
- · When dialling a number

The number is displayed or highlighted.

- ▶ Press the display key → or Options ▶ Copy to Directory ▶ OK ... possible options:
 Create a new entry:
 - ► <New entry> ► OK ► select number type ► OK ► complete entry ► Save Add number to an existing entry:

Copying an entry/directory



The sending and receiving handset must both be registered to the same base station. The other handset and the base station are able to send and receive directory entries.



An external call interrupts the transfer.

Sounds are not transferred. Only the date is transferred for an anniversary.

Both handsets support vCards

- No entry with the name is available: a new entry is created.
- An entry with the name is already available: The entry is expanded to include the new numbers. If the entry contains more numbers than allowed by the recipient handset, a second entry is created with the same name.

The recipient handset does not support vCards

A separate entry is created and sent for each number.

The sending handset does not support vCards

A new entry is created on the receiving handset and the transferred number is added to the **Phone** (**Home**) field. If an entry with this number already exists, the copied number is discarded.

Copying individual entries

Copy the next entry after successful transfer: Press Yes or No

Copying the entire directory

▶ Options ▶ Copy all ▶ OK ▶ to Internal ▶ OK ▶ select the receiving handset ▶ OK ... the entries are copied one after the other

Base directory

(depending on the base)

If the DECT base (on a CAT-iq router for example) provides a separate directory, it can also be displayed and edited on the handset.

▶ ☐ ► ☐ Contacts ► OK ► ☐ Base Directory ► OK... The first entry in the phone directory is displayed

or

Press and hold the Control button

For information on the base directory:

Documentation relating to your base/router

Assignment of the control key to a directory

Changing the assignment of the control key to a directory

Briefly press the control key ___ to open the preferred directory. The default directory is the local one

The preferred directory is the one

- opened with a brief press of the control key
- into which a number is transferred using when it is dialled
- in which a search is performed for the right name for a phone number (such as for an incoming call for showing in the display or when transferring a call to a list)

The local directory is the default preferred directory.

Changing the preferred directory:

▶ ♠ ☐ ► ☐ Contacts ► OK ► ☐ Preferred Directory ► OK ► ☐ select Handset Directory or Base Directory ► OK

Additional functions



The functions actually available on your telephone and how they are operated depends on the base/router to which the handset is registered.

The procedure required for your telephone may differ from the procedures described here. Depending on the number and type of available functions, these may be provided in different menus, e.g., at top level or in a submenu.



Additional information

Regarding the telephone system, if the handset is connected to a Gigaset base:

→ User guide for your Gigaset telephone

Regarding the telephone system, if the handset is connected to another base/router:

→ Documentation regarding your base/your router

All Gigaset user guides in PDF format:

→ www.gigaset.com/manuals

Calendar

You can remind yourself of up to 30 appointments.

In the calendar, the current day is outlined in white; on days with appointments, the numbers are displayed in colour. When a day is selected, it will be outlined in colour.



Saving appointments to the calendar



Date and time have been set.

•	🔳 🕨 🔁 ★ Additi	on	al Features 🕨 OK 🕨 🚍 Calendar 🕨 OK 🕨 💽 select desired day 🕽
	OK then		
	Switch on/off:	•	Activation: select On or Off
	Enter date:	•	Date the selected day has been pre-set enter new
			date
	Enter time:	•	Time Fenter hours and minutes of the appointment
	Set name:	•	Text > enter a description of the appointment (e.g.
			evening meal, meeting)
	Set alarm tone:	•	Signal ▶ select the melody of the reminder alarm or dead
			tivate the acoustic signal
	Enter information for	the	appointment:
		•	select successively Date , Time , Text and Signal use m or
			to set the relevant value > Save
	Save appointment:	•	Save



If an appointment has already been entered: \blacktriangleright (New entry> \blacktriangleright OK \blacktriangleright then enter information for the appointment.

Notification of appointments/anniversaries

Anniversaries are transferred from the directory and displayed as an appointment. An appointment/anniversary is displayed in idle status and the selected ringtone plays for 60 seconds as a notification.

Acknowledge and stop the reminder: > Press the display key OFF



During a call, a reminder is indicated on the handset **once** with an advisory tone on the handset.

Displaying missed appointments/anniversaries

The following appointments and anniversaries are saved in the Missed Alarms list:

- The appointment/anniversary call was not acknowledged.
- The appointment/anniversary was notified during a phone call.
- The handset was switched off at the time of the appointment/anniversary.

The last 10 entries are stored. The $\begin{tabular}{l} \begin{tabular}{l} \begin{tabular$

Opening the list

Press the Message key ► Missed Alarms: ► OK ► browse through the list of any appointments

or

Each entry is displayed with the number or name, date and time. The most recent entry appears at the top of the list.

Delete an appointment/anniversary: Delete

Displaying/changing/deleting stored appointments

View ... the appointment settings are displayed

Change appointment:

View ▶ Edit or ▶ Options ▶ ☐ Edit entry ▶ OK

Activate/deactivate appointment:

- ▶ Options ▶ Activate/Deactivate ▶ OK
- Delete appointment: ▶ Options ▶ ☐ Delete entry ▶ OK

Delete all appointments for a day:

▶ Options ▶ Delete all Appoints. ▶ OK ▶ Yes

Timer

Setting the timer (countdown)

► Additional Features ► OK ► Timer ► OK...then

Enable/disable: ► Activation: Select On or Off

Enable/disable: Activation: select On or Off

Set the duration: Duration use to enter the hours and minutes for the

timer

Min.: 00:01 (one minute); Max.: 23:59 (23 hours, 59 minutes)

Save the timer:

Save

The timer starts the countdown. In the idle display, icon and the remaining hours and minutes are displayed until one minute is left. From this point, the remaining seconds are counted down. At the end of the countdown, the alarm is triggered.

Disabling/repeating the alarm

Switch off the alarm:

▶ OFF

Repeat the alarm:

▶ Restart... the timer display is displayed again ▶ set another duration as required ▶ Save... the countdown is restarted

Alarm clock



Date and time have been set.

Activating/deactivating the alarm clock and setting the wake-up time

Addit	ion	all Features • OK • 🚅 Alarm Clock • OK then
Switch on/off:	•	Activation: select On or Off
Setting the wake-up t	tim	e:
	•	Time Time enter hours and minutes
Set days:	•	Occurrence > switch between Monday-Friday and Daily
Set the volume:	•	Volume ▶ set volume in 5 levels s or select crescendo
		(increasing volume)
Set alarm:	•	■ Melody ► select a ringtone for the alarm
Enter alarm data:	•	select successively Time, Occurrence, Volume and Melody
		use 👫 or 🕠 to set the relevant value 🕨 Save
Save settings:	•	Save

When the alarm clock is activated, the icon and the wake-up time are displayed in idle display.

Alarm

An alarm is shown on the display and indicated by the selected ringtone melody. The alarm sounds for 60 seconds. If no key is pressed, the alarm is repeated after 5 minutes. After the second repetition, the alarm call is deactivated for 24 hours.



During a call, the alarm is only indicated by a short tone.

Switching off/repeating the alarm after an interval (snooze mode)

Deactivate the alarm: ▶ OFF

Repeat the alarm (snooze mode): Press **Snooze** or any key ... the alarm is switched off and repeated after 5 minutes.

Baby monitor

When the baby monitor is switched on, the stored (internal or external) destination number is called as soon as a defined noise level is exceeded in the vicinity of the handset. The alarm to an external number is cancelled after approximately 90 seconds.

You can answer the alarm using the **Two Way Talk** function. This function is used to switch the loudspeaker of the handset located in the baby's room on or off.

In baby monitor mode, incoming calls are only indicated on the display (without ringtone). The display backlight is reduced to 50%. Advisory tones are deactivated. All keys are locked, with the exception of the display keys and the centre of the control key.

If you accept an incoming call, the baby monitor mode is suspended for the duration of the call, but the function **remains** activated. The baby monitor mode is not deactivated by switching the handset off and on again.



The handset should be positioned 1 to 2 metres away from the baby. The microphone must point towards the baby.

Activating the function reduces the operating time of your handset. For that reason, place the handset in the charging cradle if necessary.

The baby monitor is activated 20 seconds after switching on.


The microphone of the handsfree device is always used, even if a headset is connected.

The answer machine for the destination number must be switched off.

After switching on:

- Test sensitivity.
- ▶ Test the connection, if the alarm is being forwarded to an external number.

Activating and setting the baby monitor



Activate/deactivate two-way talk:

► Two Way Talk ► select On or Off Set microphone sensitivity:

▶ Sensitivity ▶ select High or Low

Save settings: > Save

The destination number is displayed in idle display when the baby monitor is activated.

Baby Monitor activated



Deactivate baby monitor / Cancel alarm

Deactivate the baby monitor:

In idle status press the display key OFF

Cancel the alarm:

▶ Press the End call key 🕝 during an alarm

Deactivate the baby monitor remotely



The alarm is forwarded to an external destination number.

The receiving phone supports tone dialling.

▶ Accept alarm call ▶ Press keys 9 #

The baby monitor is deactivated and the handset is in idle status. The baby monitor settings on the handset (e.g. no ringtone) will remain activated until you press the display key **OFF**.



The baby monitor cannot be reactivated remotely.

Reactivate: → p. 32

ECO DECT

(depending on the base)

The device range is set to maximum as default. This guarantees the best connection between the handset and the base station. In idle status, the handset will not function (as it is not transmitting). Only the base station will maintain contact with the handset via a low wireless signal. During a call, the transmission power automatically adapts to the distance between the base station and handset. The smaller the distance to the base, the lower the radiation.

To reduce the radiation further:

Reducing radiation by up to 80%

► Change (= deactivated) Settings ► OK ► ECO DECT ► OK ► Maximum Range ►



The range is also reduced with this setting.

It is not possible to use a repeater to increase the range.

Deactivating radiation in idle status

► Change (= activated)



To benefit from the advantages of the setting **No Radiation**, all registered handsets must support this feature.

If the setting **No Radiation** is activated and a handset is registered to the base that does not support this feature, **No Radiation** is automatically deactivated. As soon as this handset is de-registered, **No Radiation** will automatically be re-activated.

The wireless connection will only be established for an incoming or outgoing call and the connection will be delayed by about 2 seconds.

In order that a handset can establish a wireless connection with the base station more quickly for an incoming call, it must "listen" to the base station more often, i.e. scan the environment. This increases power consumption and reduces the standby and talk-time of the handset.

When **No Radiation** is activated, there will be no range display/range alarm on the handset. Contactability can be tested by attempting to establish a connection.

Press and hold the Talk key ... the dialling tone sounds.

Protection against unwanted calls

Time control for external calls



Date and time have been set.

Enter a time period during which the handset should suspend ringing to indicate external calls e.g. during the night.

Switch on/off: Enter time: select On or Off

★ switch between Suspend ring. from and Suspend ring. until ★ enter start and end in 4-digit

format

Save:



: Save

The time control only applies to the handset for which the setting is configured.

The telephone will continue to ring for numbers that have been assigned to a VIP group in the directory.



Protection from anonymous callers

The handset will not ring if callers' numbers are not revealed. This setting can be applied to only one or to all registered handsets.

For one handset



For all handsets

(only on some Gigaset bases)



No Protection Anonymous calls are indicated in the same way as identified numbers.

Silent Call The telephone will not ring and the incoming call will only appear in

the display.

Block Call The telephone will not ring and the incoming call will not appear in

the display. The caller will hear the busy tone.

Save settings: **Save**

Only put through known callers

(not on all bases)



The system PIN is **not** 0000 (default).

Only callers entered in the directory are put through:



When the function is enabled, the icon is shown on the display.



As soon as one of your contacts changes his or her number, this number must also be changed in the directory. **Otherwise you will no longer receive calls from this contact.**

Black list

When the black list function is activated, calls from black list numbers are not indicated or are only indicated in the display.

The black list is enabled (denoted by \checkmark in the menu) when **Silent Call** or **Block Call** is selected as the protection mode. It is enabled automatically with the first entry.

Setting the protection mode

▶ (Settings) OK) (Telephony) OK) (Blocklist) OK

Protection Mode ▶ OK ▶ select desired protection

No Protection All calls are indicated, including from callers whose numbers are on

the black list.

Silent Call The telephone will not ring and the incoming call will only appear in

the display.

Block Call The telephone will not ring and the incoming call will not appear in

the display.

Save settings: **Save**

Displaying/editing the black list

► Telephony ► OK ► Blocklist ► OK ► Blocked

Numbers ▶ **OK** ... the list of blocked numbers is displayed ... possible options:

First entry: ▶ New ▶ The enter the number ▶ Save

Another entry: ▶ Options ▶ New entry ▶ OK ▶ ☐ enter the number ▶ Save

Blocking a number range:

▶ Only enter the starting digits of the number ▶ Confirm the Add this number as a pattern? prompt with Yes

For dynamic black list, protect number before deletion:

▶ Confirm the Lock this number? prompt with Yes

Change entry:

Select an entry → Options → Edit entry → OK

Protect a number: → select an entry → Options → Lock number →

Edit (= enabled) ... The number in the list is given the symbol, it is also not deleted if the dynamic black list is enabled

Searching for a number:

▶ Options ▶ Search ▶ OK ▶ enter the number ▶ Search

Delete entry: ▶ Select an entry ▶ Options ▶ OK ▶ Delete entry

Delete list: ▶ Options ▶ Delete all ▶ OK ▶ Yes

Transferring a caller number to the black list



Phone numbers transferred to the black list are only blocked when the black list is enabled.

On incoming call (only possible when black list enabled)

▶ Press the Display key **Block** ▶ **Yes** . . . The phone number is saved to the black list

During a call

▶ Options ▶ Block Number ▶ Yes . . . The call is cancelled and the phone number saved to the black list

Transferring a number from a call list to the black list

► Call Lists ► OK ► select Accepted calls/Missed calls ► OK ► select entry ► Options ► Copy to Blocklist ► OK

Calls from blocked numbers are displayed in the call list with symbol 🔞.

Dynamic black list

A spam number is not usually active for a long time. New call numbers are generated continually for the same cold calls. However, the number of black list entries is limited by the storage space.

The black list is managed as a dynamic list. The oldest number is removed from the list when the list is full, and a new number is entered.

Enabling/disabling dynamic function:





Numbers protected from deletion are not removed.

Activating/deactivating first ring muting

When the black list is enabled, the first ringtone is always suppressed (to first analyse the black list). Enabling/disabling suppression of the first ringtone (when the phone is idle):

▶ ★ # □ 0 □ 5 # □ 1 □ 9 ... the current setting flashes in the input field (e.g. 1) ... then

Do not mute the first ringtone:

Mute the first ringtone (default setting):

Setting the handset

Setting the date and time manually

(depending on the base)

To ensure you have the correct time for incoming calls and to use the alarm clock and calendar, for example, the date and time must be set.



The address of a time server in the Internet is stored in the phone/router. The date and time are taken from this time server provided the phone/router is connected to the Internet and synchronisation with the time server is activated. Manual settings are overwritten in this case

If the date and time have not yet been set on the handset, the display key Time appears.

Press the display key Time

or

Changing the language

▶ Select (Selected)
Settings ► OK ► Language ► OK ► Select language ►

If the handset has been set to an incomprehensible language:

▶ Press the keys 6 5 slowly one after the other ▶ select the correct language ▶ press the right display key

Select country

Select the country where you are using the phone. Your selection is used for country-specific defaults.

▶ Settings OK Telephony OK Country OK Select the country Select = selected)

Display

Screensaver

(depending on the base)

A digital or analogue clock and info services can be selected to be displayed as a screensaver when in idle status.

Switch on/off: Activation: select On or Off

Select screensaver:

Selection
Select a screensaver

(Digital Clock / Analog Clock / Info Services)

The screensaver is activated approx. 10 seconds after the display has changed to idle status.

End screensaver

▶ Press the End call key 🕝 briefly ... the display changes to idle status

Display of info services as screensaver

(only on a Gigaset-IP base)



Info Services are activated via the web configurator.

The telephone is connected to the Internet.

Example: Enable weather service as screensaver

Enable info services as screensaver:

Select locations:

Multiple locations can be entered. Once you have entered all locations required: \blacktriangleright Use <- to go back

Enable screensaver:

Additional Features Info Centre Screensaver OK Select location with Save



The type of info service available to your phone is set on the Internet on the Gigaset.net server.

If no information is currently available, the digital time (**Digital Clock**) is displayed instead until information is available again.

Switching Info Services on/off

(only on a Gigaset-IP base)

The text information from the Internet that is set for the screensaver **Info Services** can be displayed as a scrolling message in idle status.

► The settings • OK • Display • OK • Info Ticker • Edit (= on)

The text appears as soon as the telephone changes to idle status. If a message is shown in idle status, the info text is not displayed.

Large font

Show text and icons in call lists and in the directory in a larger size in order to improve legibility. Only one entry is shown in the display and names are abbreviated if necessary. The number is displayed in large font when it is dialled.

▶ ♠ Settings ▶ OK ▶ ♠ Display ▶ OK ▶ ♠ Large Font ▶ Change
♠ = activated)

Colour scheme

You can choose from a range of colour combinations for the display.

Settings ▶ OK ▶ ☐ Display ▶ OK ▶ ☐ Colour Schemes ▶ OK ▶
select the desired colour scheme ▶ Select (= selected)

Display backlight

The display backlight always illuminates when the handset is taken out of the base station/charging cradle or when a key is pressed. Any **digit keys** that are pressed appear on the display for pre-dialling.

Switch the display backlight on/off when in idle status:



The handset's standby time may be significantly reduced if the display backlight is switched on.

Changing the earpiece and handsfree volume

You can set the volume of the earpiece and speaker at 5 levels independently of each other.

During a conversation



Without saving, the setting is automatically saved after around 3 seconds.

In idle status

Save settings: > Save

Earpiece and handsfree profile

Select a profile for the earpiece and handsfree mode in order to adapt the telephone as much as possible to the surroundings. Check which is the most comfortable profile for you and your caller.

► Settings ► OK ► Audio Settings ► OK ► Acoustic Profiles ► Earpiece Profiles / Handsfree Profiles ► OK ► select profile ► Select (\(\overline{\Omega} = \text{selected} \)

Earpiece Profiles: High or Low (default setting)

Handsfree Profiles: Profile 1 (default setting) or Profile 2

Ringtones

Ringtone volume

Volume can be set at 5 levels or crescendo (increasing volume).

▶ (Settings) OK) (Audio Settings) OK) (Ringtones (Handset)) OK) Volume) OK) (Select For internal calls and alarms or External Calls) set volume) Save

Ringtone melody

Set different ringtones for internal and external calls for every available receive connection of the telephone (**Fixed Line**, **IP1**) or set the same ringtone for **All calls**.

Switching the ringtone on/off

Switching the ringtone off permanently

▶ Press and **hold** 🛊 🌲 ... the following icon appears in the status bar 💆

Switching the ringtone on permanently

▶ Press and hold ★ △

Switching the ringtone off for the current call

Press Silent or the End call key <a>

Switching the alert tone (beep) on/off

Switch on an alert tone (beep) instead of the ringtone:

Press and hold the star key ★ ○ Press Beep within 3 seconds ... the following icon appears in the status bar

Switching off the alert tone: ▶ Press and hold the star key \star •

Switching advisory tones on/off

The handset notifies acoustically about different activities and statuses. These advisory tones can be switched on/off independently of each other.

Tone when keys are pressed:

▶ Key Tones: select On or Off

Confirmation/error tone after making entries, advisory tone when a new message has been received:

▶ Confirmation ▶ Select On or **Off**

Warning tone when there are fewer than 10 minutes of talktime remaining (every 60 seconds):

▶ **Battery** ▶ **select On** or **Off**

Warning tone when the handset is moved out of range of the base station:

Out of Range: select On or Off



There is no battery warning when the baby monitor is switched on.

Auto answer

When Auto answer is enabled, the handset accepts an incoming call as soon as it is removed from the charging cradle.

► ► Settings ► OK ► Telephony ► OK ► Auto Answer ► Change
(= activated)

Regardless of the **Auto Answer** setting, the connection ends as soon as you place the handset back in the charging cradle.

Fast access to numbers and functions

Assigning a number to digit keys (quick dial)

It is possible to assign a **number from the directory** to the keys 2 to 9



A number has not been assigned to the digit key.

Press and hold the digit key

or

▶ Briefly press the digit key ▶ Press the display key QuickDial

The directory opens.



If the entry in the directory is deleted later, this will not affect the assignment of the digit key.

Dialling a number

▶ Press and **hold** the digit key ... the number is dialled immediately

or

▶ Briefly press the digit key . . . the number/name (possibly in abbreviated form) is shown on the left display key ▶ press the display key . . . the number is dialled

Changing the digit key assignment

▶ **Briefly** press the digit key ▶ **Change** ... the directory is opened ... possible options:

Change the assignment:

select an entry ▶ OK ▶ select a number if required ▶ OK

Delete the assignment:

Clear Key

Assigning display keys / Changing assignments

The left and right display keys have a **function** preset by default when in idle mode. The key can be re-assigned.

Possible functions: **Alarm Clock, Redial, Handset Directory** . . . More functions are available in **More Functions...**



The availability of functions depends on the base.

Starting a function

With the telephone in idle status: > Briefly press ... the assigned function is executed

Changing the name of a connection (line)

(only on a CAT-iq router)

Assigning handsets to a connection (line)

(only on a CAT-iq router)

Multiple handsets can be assigned to a connection. Incoming calls to the number designated to a connection will be forwarded to all handsets assigned to the connection.

▶ ♠ ♦ Settings ▶ OK ▶ ↑ Telephony ▶ OK ▶ ↑ Connections ▶ OK ▶ ↑ select connection ▶ OK ▶ ↑ Assigned Handsets ... all registered handsets are displayed ▶ ↑ select handset ▶ Change ★ = handset is assigned)

Permit/prevent multiple calls

(only on a CAT-iq router)

If the function is activated, multiple calls can be made in parallel.

Settings ▶ OK ▶ Telephony ▶ OK ▶ Connections ▶ OK ▶ select connection ▶ OK ▶ Multiple Calls ▶ Change (= activated)

Permit/prevent internal listening in

(only on a CAT-ig router)

If the function is enabled, an internal party can listen in to an external call and take part in the conversation (conference).

Show system and line statuses

(only on a CAT-ig base, V2.1 and later)

Showing the system status

When there is a system error, show information on the fault cause: Details

Show line status

Show more information (dependent on status): Details

Example: Line Status = Error, Details shows additional information on the type of fault



Status details are only updated when the relevant menu is accessed. If the status changes during the display, the data is not updated.

Show status messages in idle display

If a status display is enabled, relevant messages are shown in the idle display. If there is more than one active message, the one with the highest priority is shown, e.g. **System error** or **Line error** before **Call Divert active**.

Example



Handset update

The handset supports firmware updating via the DECT radio link to the base/router (SUOTA = Software Update Over The Air).



The base/router to which the handset is registered must also support this function (www.gigaset.com/compatibility)

The phone checks whether new firmware is available for the handset. If it is, a message is displayed.

▶ Start the firmware update with Yes.

Enable/disable automatic check for new firmware:

Start the firmware update manually

► System ► OK ► System ► OK ► Handset Update ► OK ►

Update ► OK ► OK . . . if there is new firmware, the update will start



The update process may take up to 30 minutes. During this time, only restricted handset use is available.

Checking the firmware version

Testing DECT encryption

(depending on the base)

When this function is enabled, the handset tests whether the DECT connection to the base is secure, i.e. is encrypted. If not, a message is shown on the display.



If a repeater without encryption is used, the secure connection test must be disabled.

If, on the base, encryption is disabled at a later time whilst the secure connection test is enabled (because a repeater needs to be connected for example), **Press 'info' to read security info** is shown on the handset.

▶ Info ... the situation is explained ▶ Sec. off ... the secure connection test is disabled

During a call

A sound and a message on the display indicate when encryption is disabled on the base during a call.

Continue call: Yes
Stop call: No

If neither is pressed, the call is stopped automatically after a certain time.

Testing the secure connection status during a call:

 Press the Hash key # - for a longer time ... the secure connection status is shown on the display

Resetting a handset

Reset any individual settings and changes that you have made.



The following settings are **not** affected by a reset

- Registration of the handset to the base station
- · Date and time
- Directory entries and call lists

Appendix

Customer Service & Assistance

Do you have any questions? As a Gigaset customer, you can find help quickly in this User Manual and in the service section of our Gigaset online portal www.gigaset.com/service.

In our constantly updated online service you can find:

- Extensive information about our products
- FAQ compilations
- Keyword search to help find topics quickly
- Compatibility database: Find out which base stations and handsets can be combined.
- Product comparison: Compare the features of several products with each other.
- Downloads for user manuals and current software updates
- E-mail contact form for customer service

In order to contact our customer service via email, please use the email contact form from our Gigaset online portal after selecting your home country.

Our representatives are also available on the telephone hotlines for consultation.

Australia+61 1300 780 878	Jordan 00962 6 5625460/1/2
Austria0043 1 311 3046	Kuwait +965 -22458737/22458738
Bahrain31 73 11 173	Lebanon+9611240259/
Belgium 07815 6679	+9611236110
Bosnia Herzegovina 033 276 649	Luxembourg (+352) 8002 3811
Brazil	Malaysia +603-8076 9696
Grandes Capitais e Regiões Metropolitanas:	Malta+39 02360 46111 (0,10 €)
4003 3020	Mexico
(Preço de uma ligação local)	01800 999 4442738 (01800 999 GIGASET)
Demais localidades: 0800 888 3020	Netherlands 0900-3333102
	New Zealand0800 780 878
Bulgaria+359 2 9710666	Norway+47 2231 0845
Canada 1-866 247-8758	Oman+968 70928 Ext. 49/21/75
China 0 21 400 670 6007 (RMB 0.11)	Poland801 140 160
Croatia01 / 2456 555	Portugal (+351) 308 804 760
Czech Republic 233 032 727	(custo de uma chamada local)
Denmark+45 43682003	Romania+40 021 204 9190
Finland+358 (0)9725 19734	Russia 8-800 333 4956
France (0)1 57 32 45 22	Serbia0800 222 111
Germany 02871 / 912 912	Singapore 6735 9100
Greece +30 2111 98 1778	Slovak Republic0905 035 305
	Slovenija+386 (1) 5466 511
Hong Kong 2763 0203	South Africa 0800 98 08 42
2389 7285	Spain(+34) 910 920 931
Hungary06(1)267-2109	Sweden+46 (0)8502 52347
India Please refer to your local warranty card	Switzerland0848 212 000
Indonesia(62-21) 5673813	Taiwan02 266 24343
(62-21) 888856000	TurkeySon kullanıcı için +90 212 888 6346
Ireland 0818 200 033	Bayi için +90 212 888 6347
Italy 02.600.630.45	Ukraine+380-44-451-71-72
(Il numero è di tipo "urbano nazionale" e può essere	United Arab Emirates+971 44504288
chiamato da qualunque operatore di rete fissa o	United Kingdom 020 36953111
mobile. Il costo della chiamata è inerente al proprio	USA1-866 247-8758
piano tariffario definito con l'operatore telefonico, ad esempio in caso di un contratto con tariffa FLAT,	tollfree
non ci sono costi aggiuntivi per la chiamata a questo	
numero, in quanto si tratta di un numero urbano	
nazionale.)	

Please have your record of purchase ready when calling. After sales service is not offered in countries where our product is not sold by authorised dealers.

For questions about VoIP access, please contact the respective service provider.

Manufacturer's advice

Authorisation

This device is intended for use worldwide. Use outside the European Economic Area (with the exception of Switzerland) is subject to national approval.

Country-specific requirements have been taken into consideration.

Gigaset Communications GmbH hereby declares that the following radio equipment types are in compliance with Directive 2014/53/EU and the Radio Equipment Regulations 2017:

S30852-S3051-xxxx, S30852-S3061-xxxx

The full text of the EU and UK declaration of conformity is available at the following internet address: www.qigaset.com/docs.

This declaration could also be available in the "International Declarations of Conformity" or "European Declarations of Conformity" files.

Therefore please check all of these files.

Data protection

We at Gigaset take the protection of our customers' data very seriously. It is precisely for this reason that we are ensuring all our products feature "Privacy by Design" as standard. All information we collect is used to make our products as good as possible. In the process, we ensure your details are protected and only used for the purposes of making available to you a product or service. We know which path your data takes through the company and ensure this happens in line with data protection specifications in a secure and protected manner.

The full text of the privacy policy is available from: www.gigaset.com/privacy-policy

Environment

Environmental management system





Gigaset Communications GmbH is certified pursuant to the international standards ISO 14001 and ISO 9001.

ISO 14001 (Environment): Certified since September 2007 by TÜV SÜD Management Service GmbH.

ISO 9001 (Quality): Certified since 17/02/1994 by TÜV SÜD Management Service GmbH.

Disposal

Batteries should not be disposed of in general household waste. Observe the local waste disposal regulations, details of which can be obtained from your local authority.

All electrical and electronic equipment must be disposed of separately from general household waste using the sites designated by local authorities.



If a product displays this symbol of a crossed-out rubbish bin, the product is subject to European Directive 2012/19/EU.

UK: The Waste Electrical and Electronic Equipment Regulations 2013.

The appropriate disposal and separate collection of used equipment serve to prevent potential harm to the environment and to health. They are a precondition for the re-use and recycling of used electrical and electronic equipment.

For further information on disposing of your used equipment, please contact your local authority or your refuse collection service.

Care

Wipe the device with a **damp** cloth or an antistatic cloth. Do not use solvents or microfibre cloths. **Never** use a dry cloth: this can cause static.

In rare cases, contact with chemical substances can cause changes to the device's exterior. Due to the wide variety of chemical products available on the market, it was not possible to test all substances.

Impairments in high-gloss finishes can be carefully removed using display polishes for mobile phones.

Contact with liquid



If the device comes into contact with liquid:

- 1 Unplug all cables from the device.
- 2 Remove the batteries and leave the battery compartment open.
- 3 Allow the liquid to drain from the device.
- 4 Pat all parts dry.
- 5 Place the device in a dry, warm place for at least 72 hours (not in a microwave, oven etc.) with the battery compartment open and the keypad facing down (if applicable).
- 6 Do not switch on the device again until it is completely dry.

When it has fully dried out, you will normally be able to use it again.

Technical data

Batteries

Technology: 2 x AAA NiMH

Voltage: 1.2 V Capacity: 750 mAh

Handset operating times/charging times

The operating time of your Gigaset depends on the capacity of the battery, its age and the way it is used. (All times are maximum possible times.)

Standby time (hours)	320 / 190 *
Talktime (hours)	17
Operating time with 1.5 hours of calls per day (hours)	160 / 115*
Charging time in charging cradle (hours)	8

^{*} With **No Radiation** function disabled / with **No Radiation** function enabled, with no display lighting when the phone is idle and during a call

Power consumption of the handset in the charging cradle

When charging: approx. 1.50 W
To maintain the charge status: approx. 0.50 W

General specifications

DECT standard	Supported
GAP standard	Supported
No. of channels	60 duplex channels
Radio frequency range	1880-1900 MHz
Duplex mode	Time division multiplexing, 10 ms frame length
Repetition frequency of the transmission pulse	100 Hz
Duration of the transmission pulse	370 μs
Channel grid	1728 kHz
Bit rate	1152 kbit/s
Modulation	GFSK
Language code	32 kbit/s
Transmission power	10 mW average power per channel, 250 mW pulse power
Range	Up to 50 m indoors, up to 300 m outdoors
Environmental conditions for operation	+5 °C to +45 °C; 20% to 75% relative humidity
Dialling mode	DTMF (tone dialling)

Power adapter

Manufacturer	Salom Electric (Xiamen) Co. Ltd.
	Commercial registration number: 91350200612003878C
	31 Building, Huli Industrial District,
	Xiamen, Fujian 361006, P.R. China
	Salcomp (Shenzen) Co. Ltd.
	Commercial registration number: 91440300618932635P
	Salcomp Road, Furond Industrial Area,
	Xinqiao, Shajing, Baoan District, Shenzen 518125 China
Model identifier	C705
Input voltage	230 V
Input AC frequency	50 Hz
Output voltage	4 V
Output current	0.15 A
Output power	0.6 W
Average active efficiency	> 46%
Efficiency at low load (10%)	not relevant – only at output power > 10 W
No-load power consumption	< 0.10 W

Character charts

The character set used on the handset is dependent on the language set.

Standard characters

Press the relevant key several times.

	1x	2x	3x	4x	5x	6x	7x	8x	9x	10x
1 🐷	1									
2	a	b	С	2	ä	á	à	â	ã	ç
3	d	е	f	3	ë	é	è	ê		
4	g	h	i	4	ï	ĺ	ì	î		
5	j	k	I	5						
6	m	n	0	6	ö	ñ	ó	ò	ô	Õ
7	р	q	r	S	7	ß				
8	t	u	V	8	ü	ú	ù	û		
9	w	х	у	z	9	ÿ	ý	æ	ø	å
0 -	1)		,	?	!	4 ²⁾	0			

- 1) Space
- 2) Line break

Display icons

The following icons are displayed depending on the settings and the operating status of your telephone.

Icons in the status bar

Icon	Meaning
7=1]	Signal strength (No Radiation off) 1% -100% white, if Maximum Range on; green, if Maximum Range off
(P)	Red: no connection to the base station
①	No Radiation activated: white, if Maximum Range on; green, if Maximum Range off
Ф	Answer machine activated indicator Flashes: Answer machine is recording a message or is being operated by another internal participant (only for a system with a local answer machine)
$\bar{x}\bar{\imath}$	Ringtone switched off

lcon	Meaning
ᅸ	"Beep" ringtone activated
O	Keypad lock activated
	Battery charge status: White: between 11% and 100% charged
	Red: less than 11% charged Flashes red: battery almost empty (approx. 5 minutes of talktime left)
<i>\$</i> □	Battery is charging (current charge status):
/	0% - 100%

Display key icons

Icon	Meaning
$\rightarrow \rightarrow$	Last number redial
< C	Delete text
V	Open the directory

lcon	Meaning
+₩	Copy number to the directory
→ 0.0	Divert a call to answer machine (only for a system with a local answer machine)

Display icons to indicate ...

lcon	Meaning
$\left((\bigwedge)\right)$	External call
((♠))	Internal call
((\$))	Call of a blocked number (protection mode Silent Call)
(→	Establishing a call (outgoing call)
<i>(⇔)</i>	Connection established
(×)	No connection established/ connection terminated

lcon	Meaning
$\left((\textbf{Fo}) \right)$	Reminder for appointment
$\left((\cancel{\&})\right)$	Reminder for anniversary
$\big(() \big)$	Alarm call
$\Big((\lozenge)\Big)$	Countdown timer
(00)	Answer machine is recording (only for a system with a local answer machine)
,	

Other display icons

Icon	Meaning
(9)	Alarm clock is activated, display with alarm time
0	Timer switched on, display with countdown
~	Action complete (green)
X	Action failed (red)

lcon	Meaning
i	Information
?	(Security) prompt
0	Please wait
	Just Friends function enabled

Index

	Call lists
A	Call protection
Activating/deactivating message LED 22	Call, anonymous
Advisory tones	protection from
Alarm	Caller
Alarm clock	blocking17
switch on/off	Calling
Alert tone (beep)	external
Anniversary, see Appointment	Cancel the alarm (baby monitor)
Answer machine	Care
calling back a caller	Care of the device
Answer, auto	
•	Changing
Appointment	display language
display missed	earpiece volume
missed	handsfree volume41
notification	Character charts53
setting	Charge status of the batteries54
Assigning number key	Charging cradle (handset)
Authorisation50	connecting
Auto answer	Charging time of handset
	Colour scheme
В	Configuring system messages 45
Baby monitor	Connecting the headset
activation	Connection
	assigning handset44
deactivation	changing name44
Base directory	Contact with liquid51
Battery	Contents of the package
charging9	Control key
charging status	Correcting incorrect entries
inserting8	Countdown (timer)
Beep (alert tone)	Country38
Belt clip8	Customer Care
Best base station	Customer Service & Assistance
Black list	Customer service & Assistance40
block caller	
copying a number from a call list 37	D
dynamic	Data protection50
Searching for a number	Deactivating wireless module34
Broken display	Dialling
	from the call list17
С	from the directory
Calendar	from the redial list
	using quick dial
Call	Directory23
external	copying numbers
Call block	dialling numbers
Call list	entry23
copying a number to the directory 21	memory24
delete	opening
delete an entry	order of entries
dialling 17	
entry 20	preferred
opening	saving an entry23
	searching

selecting an entry24		
sending entry/list to handset	Н	
sending to handset	Handset	
Directory key	assigning connection	44
change assignment	changing the settings	38
Display	colour scheme	40
activating/deactivating new message 22	connecting the charging cradle	7
backlight40	display backlight	40
broken6	display language	38
changing display language	earpiece volume	41
colour scheme	handset volume	18
directory memory	handsfree volume	18, 41
large font	idle status	14
missed appointment/anniversary 29	muting	18
network mailbox message	overview	4
Screensaver	registering	9
Display icons	resetting	47
Display keys	set up	8
assigning	switch on/off	
icons54	switching on/off	12
Disposal	update	46
Dynamic black list	use as a baby monitor	32
<u></u>	Handsfree key	18
E	Handsfree mode	18
Earpiece profile	Handsfree profile	41
Earpiece volume	Handsfree volume	18
ECO DECT	Hash key	4
Emergency numbers	Headset connector	4
not possible6	Headset socket	11
Encryption, DECT connection	Hearing aids	6
End call key	HX	2
Entering numbers		
Entering special characters	1	
Entering special characters	Icons	
Entering text	alarm clock	31
Environment	displaying new messages	
Environment	indications	
_	on display keys	
F	status bar	
Firmware update	timer	
	Idle display	50
G	status messages	45
Getting started	Idle status	
Getting started/	returning to	1.4
	Indications, icons	1 4 55
	Internal listening in	
	Internet connection	
	outage	6
	outage	0

	Outage	
K	Internet connection	
Key 14	LAN connection	. 6
Key, assigning	Overview	
Keys	handset	. 4
control key		
display keys4, 13	P	
end call key	Power adapter	5:
handsfree	Preferred directory	
hash key4	Protection from calls	_,
menu	anonymous	31
message key	black list	31
on/off key	time control	
recall key	time control	_
star key4		_
talk key4	Q	
	Quick dial	16
L		_
LAN connection	R	
outage6	Radiation	
Language	reducing	3:
display	Radiation-free	
Language, display	Recall key	
Large font	Redial list16, 2	
Line	Registering (handset)	
Liquid	Ringtone	
Lock/unlock the keypad	changing	
Lower/upper case	melody for internal/external calls	42
, , ,	muting	
M	muting first	
	suppress first	
Making calls	time control	
external	volume	41
Manufacturer's advice		
Maximum Range	S	
Medical equipment6	_	,
Melody	Safety precautions	
ringtone for internal/external calls	Searching in directory	
Memory in the directory	Sending	-ء
Message key	entire directory to handset	2
Message lists	Setting the date	23
Microphone	Setting the time	
switch on/off	Setting up handset	
Missed anniversaries/appointments	Show line status	
Multiple calls	Show new messages	
Mute the first ringtone	Showing the system status4	
Muting the handset	Signal strength	
Muting the natioset	Snooze mode (alarm)	
NI	Speaker	
N	Star key	
Number	Status bar	
copying to the directory	icons	
saving in the directory	SUOTA	
	Switch on/off alarm (timer)	
0	Switching the ringtone on/off	
On/Off button	Symbols, see Icons	
Open Source Software	_,	
Operating time of handset		

Г	
آalk key آechnical data	
Felephone operating	12
Fime control for external calls	34
	_
Jpper/lower case 1	15

V
Viewing network mailbox message21
VIP group, classify directory entry
VIP ringtone
Volume
earpiece
handset handsfree volume 41
handset speaker/earpiece volume 18
speaker41

All rights reserved. Rights of modification reserved.

Open Source Software

General

Your Gigaset device includes Open Source software that is subject to various license conditions. With regard to Open Source software, the granting of usage rights that go beyond the operation of the device in the form supplied by Gigaset Communications GmbH is governed by the relevant license conditions of the Open Source software. The corresponding licence conditions can be found below in their original version.

The respective license texts regularly contain limitations of liability with regard to the relevant licensor of Open Source Software. The exclusion of liability for the LGPL Version 2.1, for example, reads as follows:

"This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details."

The liability of Gigaset Communications GmbH remains unaffected by this.

Licence and copyright information

Your Gigaset unit includes Open Source software. The corresponding licence conditions can be found below in their original version.

Licence texts

Copyright (c) 2001, Dr Brian Gladman < >, Worcester, UK. All rights reserved.

LICENSE TERMS

The free distribution and use of this software in both source and binary form is allowed (with or without changes) provided that:

- 1. distributions of this source code include the above copyright notice, this list of conditions and the following disclaimer;
- 2. distributions in binary form include the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other associated materials;
- 3. the copyright holder's name is not used to endorse products built using this software without specific written permission.

DISCLAIMER

This software is provided 'as is' with no explicit or implied warranties in respect of its properties, including, but not limited to, correctness and fitness for purpose.

Issue Date: 29/07/2002

Issued by

Gigaset Communications GmbH Frankenstr. 2a, D-46395 Bocholt

© Gigaset Communications GmbH 2022

Subject to availability.

All rights reserved. Rights of modification reserved.

www.gigaset.com