HP Color LaserJet Pro MFP 4302fdw Printer



Colorful productivity. Seamless management.

Get a blazing fast color printer and easy management tools with LaserJet Pro.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Fast print speed (33 ppm A4)
- Instant Ink for Laser available
- HP Wolf Pro security
- Automatic two-sided printing standard
- High monthly duty cycle (50,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet ADF with single-pass, two-sided scanning

Maximum productivity in full color

- Support your enterprise workteam with this compact, high-performing, color printer, ideal for up to 10 users.
- Support your business workteam with this compact, high-performing, color printer, ideal for up to
- Avoid interruptions with Wi-Fi® that intelligently looks for the best connection to stay on-line.
- Do more in fewer steps. Simple shortcuts allow your employees to complete common tasks with
 iust a touch.
- Look professional on every page with high-quality printing, true-to-life colors and sharp details.

Seamless management

- Centralize your print fleet management. HP Web Jetadmin easily adds and updates devices and solutions.
- Set up your printer fleet quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Enroll in Instant Ink subscription service and get toner delivered to your office before you need it.

HP Wolf Pro Security


- Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer fleet security from the dashboard. Smart Admin makes IT configuration and monitoring easy.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Strengthen and simplify compliance. This upgrade applies your business policies across the fleet.

Sustainable printing

- Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing.
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Reduce your footprint. HP Auto-On/Auto-Off technology optimizes printer energy usage and costs.

Product walkaround

- 1. Automatic 2-sided printing and scanning
- 2. Print speeds up to 35 ppm letter/33 ppm A4, 300-sheet standard paper capacity
- 3. 4.3-inch color touchscreen
- 4. Dual-band Wi-Fi® with self-heal, USB and Ethernet
- 5. Pre-configured security settings
- 6. HP Smart app for productivity in your hand
- 7. Designed for workteams of up to 10 users
- 8. More true-to-life colors with HP TerraJet Toner
- 9. Walk-up USB print and scan



Accessories, Supplies and Support

Supplies	W2200A HP 220A Black Original LaserJet Toner Cartridge (~ 2,000 pages) W2200X HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages)	
	W2201A HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages)	
	W2201X HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages)	
	W2202A HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages)	
	W2202X HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages)	
	W2203A HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages)	
	W2203X HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages)	
	W8000A HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8000J HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8001A HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8001JHP 210/220/230 Instant Ink Toner Welcome Kit	
	W8002A HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8002JHP 210/220/230 Instant Ink Toner Welcome Kit	
	W8003A HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8003J HP 210/220/230 Instant Ink Toner Welcome Kit	
Service and Support	U51Z1E HP 3 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51ZCPE HP 1 year Post Warranty Next Business Day Onsite Service for Color LaserJet Pro MFP 430x	

Technical specifications

Model	HP Color Laser Jet Pro MFP 4302 fdw Printer
Productnumber	5H64F
Functions	Print, copy, scan, fax
Control panel	4.3"Capacitive touch screen (all input functions)
Print Print technology	laser
Printspeed	Black (A4, normal): Up to 33 ppm Colour (A4, normal): Up to 33 ppm ; Black (A4, duplex): Up to 29 ipm Colour (A4, duplex): Up to 29 ipm
Firstpageout	Black (Ad, ready): As fast as 9.5 sec Colour (A4, ready): As fast as 10.2 sec; Black (A4, sleep): As fast as 10.5 sec
Printresolution	Black (best): Up to 600 x 600 dpi Colour (best): Up to 600 x 600 dpi; Technology: HP ImageREt 2400, PANT ONE® calibrated
Monthly duty cycle	Up to 50,000 pages A4; Recommended monthly page volume 750 to 4,000
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print mode, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL 5e, HP Postscript level 3 emulation , PDF, URF, PW G Raster, Native Office, TIFF, JPEG
Fonts and typefaces	111 scalableTrueTypefonts
Print area	Printmargins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area: 212 x 352 mm
Duplexprinting	Automatic
Copy	Black (A4): Up to 33 cpm; Colour (A4): Up to 33 cpm
Copyspeed	DCopy, Number of copies (sessee (Including 2-Up)); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Save Current Settings; Restore Factory Defaults; Quality
Copier specifications	(Draft/Standard/Best); Maximum number of copies: Up to 999 copies; Reduce/Enlarge 25 to 400%
Scan	
Scan speed	Normal (A4): Up to 29 ppm/44 ipm (b&w), up to 26 ppm/35 ipm (color) ; Duplex (A4): Up to 44 ipm (b&w), up to 35 ipm (color)
Scan file format	PDF, JPG, TFF
Scannerspecifications	Scanner type Flatibed, ADF; Scan technology. Contact image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file-buttons; HP Scan software; and user application via TWAN or WIA; Twain version: Version 2.3; Duplex ADF Scan scan stem samium (flatibed, ADF): 216 x 92 Pm; Optical scan or pm; Optical scan or pm; Optical scan of the or pm; Optical scan
Recommended monthly scan	750 to 4000
volume	
Scannable area	Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADP): 102 x 152 mm Maximum media size (ADP): 216 x 356 mm
Bit depth/Grey scale levels	30-bit/256
Fax	Yes, 33.6 kbps
Faxspecifications	Faxmemory, Up to 500 pages; Faxresolution: Standard: 200 x100 dpt; Fine: Up to 203 x196 dpt; Superfine: Up to 300 x300 dpt; Quickdialing: Up to 100 numbers
Processorspeed	1200 MHz; op to 300 pages; an extraction standard 200 kHz op to 200 kHz op to 200 kHz op to 300 kHz
Connectivity	
Standard	1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Front USB port; 1 Wi-Fi802.11b/g/n; 1 Bluetooth Low Energy; 1 Gigabit Ethernet 10/100/1000 Base-TX network
Mobile printing capability	Apple AirPrint™; HP Smart App; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct Printing; HP ROAM For Business; Optional ROAM Queue Printing
Supported network protocols	TCP/P, Pv4, Pv6; Print: TCP-IP port9100 DirectMode, LPD (raw queue support only), Web Services Printing, HP Print on the Go (Roam), Apple AirPrint*M, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery: PConfig: Pv4 (DHCP, Auto P, Manual), Pv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Sysloq
Network cap abilities	Yes, viabuilt-in 10/100/1000Base-TxEthernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x; 802.11ac (Wi-Fi5)
T	
Memory	Standard: 512 MB NAND Flash, 512 MB DRAM; Maximum: 512 MB NAND Flash, 512 MB DRAM
Memory Media handling	Standard: 512 MB NAND Flash, 512 MB DRAM; Maximum: 512 MB NAND Flash, 512 MB DRAM
Media handling Number of paper trays	Standard: 2; Maximum: 3
Media handling	Standard: 2 ; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media handling Number of paper trays Media types Media size	Standard: 2; Maximum: 3 Paper (bond, brothure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes: 102 x 152 to 216 x 356 mm
Media handling Number of paper trays Media types	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter;
Mediahandling Number of paper trays Media types Media size Mediahandling Input capacity	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; Az; custom sizes 102 x 152 to 216 x 356 mm; Sizes 102 x
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Output capacity	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Output capacity Compatible operating systems	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional S50-sheet tray ADF: Standard, 50 sheets with Optional S50-sheet output bin Optio
Mediahandling Number of paper trays Media types Media size Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Mediahandling Number of paper trays Media types Media size Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 7; Windows 7; Windows 7; Mondows 7;
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 2 ; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipup ose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF. Standard, 50 sheets incurfed Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; mac05 12 Monterey; mac05 11 Big Sur; mac05 10.15 Catalina; Linux; Citric; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citric; Linux; Windows Sever Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com;
Mediahandling Number of paper trays Media types Media size Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF. Standard, 50 sheets sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; mac05 12 Monterey; mac05 11 Big Sur; mac05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://ip.com.http://ip.com
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard: 2; Maximum: 3 Paper (Boud, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; mac 05 12 Monterey; mac 05 11 Big Sur; mac 05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com htt
Mediahandling Number of paper trays Media types Media size Media size Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF. Standard, 50 sheets sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; mac05 12 Monterey; mac05 11 Big Sur; mac05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://ip.com.http://ip.com
Mediahandling Number of paper trays Media types Media size Media size Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm aDF. Letter, Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com http://lp.23.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manage; HP SNMP Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP
Mediahandling Number of paper trays Media types Media size Media hadling Input capacity Output capacity Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF. Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: 10 tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: 10 tray 3: Sheets: 550 Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; 105; mac 05 12 Monterey; mac 05 11 Big Sur; mac 05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novelt; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com http://li23.hp.com; By Web JetAdm in Software, HP JetAdvantage Security Manage; HP SIMP Proxy Agent (Part of HP Web JetAdmin), HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) ~20.4 kg
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric). Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard Input: 50-sheet multipurp ose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray ADF. Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; mac0S 12 Monterey; mac0S 11 Big Sur; mac0S 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 26B available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac: 26B available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://lip.com http
Mediahandling Number of paper trays Media types Media size Media hypes Media handling Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W X D X H) Printer weight Operating environment Storage conditions	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm aDF. Letter, Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; iOS; mac05 12 Monterey; mac05 11 Big Sur; mac05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Sever Windows: 2 GB available hard diskspace, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com http://hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manage; HP ShMP Proxy Agent (Part of HP Web JetAdmin), Fmart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) ~20.4 kg Temperature: -20 to 40°C
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input; 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output; 150-sheet output bin Optional input; Optional 550-sheet tray ADF: Standard, 50 sheets curvited Standard: Up to 150 sheets Envelopes: 10 to 20 envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Boxonlyon http://hp.com http://pp.com. HP Web JetAdmin Software, HP JetAdvantage Security Manage; HP SthmP Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) ~20.4 kg Temperature: 10 to 32.5 °C Humidity, 30 to 70%RH (non-condensing) Temperature: 10 to 32.5 °C Humidity, 30 to 70%RH (non-condensing)
Mediahandling Number of paper trays Media types Media size Media hypes Media handling Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W X D X H) Printer weight Operating environment Storage conditions	Standard: 2; Maximum: 3 Paper (bond, brothure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm aDP. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm aDP. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Tray 2: 50-sheet Automatic Document Feeder (ADP) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADP: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADP: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 7; Windows Client 05; Android; i05; mac05 12 Monterey; mac05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements seemple.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements seeapple.com; No software solutions are included in the Box only on http://hp.com http://hp.com http://123.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manage; HP SNMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 4666 x 761 mm (with optional 550-sheet tray 3
Mediahandling Number of paper trays Media types Media size Media hadding Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics Power	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1:76.2 x 127 to 216 x 356 mm; Tray 2:98 x 148 mm to 216 x 356 mm; optional Tray 3:100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal: All; custom sizes 102 x 15z to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 158 x
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Compatible operating systems Compatible network operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x Dx H) Printer weight Operating environment Storage conditions Acoustics	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric), Simplex: Tay 1: 76, 24: 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal, A4; custom sizes 102 x 152 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal, A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal, A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter, Legal, A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 148 x
Mediahandling Number of paper trays Media types Media size Media hadding Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics Power	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex. Tray 1: 76. 2x127 to 216 x356 mm; Tray 2: 98 x148 mm to 216 x356 mm; optional Tray 3: 100 x148 to 216 x356 mm; Duplex (alt trays): 148 x148 mm to 216 x356 mm ADF. Letter, Legal: Ad; custom sizes 102 x152 to 216 x356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional fiput: 05 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF. Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android: 05; maxOS 12 Monterey; maxOS 11 Big Sur; maxOS 10.15 Catalina; Linux; Citric; Chrome OS; Mobile OS SAP; Novell; UNIX; Citric; Linux; Windows Server Windows 2: GB available hard diskspace, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2: GB available hard diskspace, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2: GB available hard diskspace, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://incl. p.com http://lin. p
Mediahandling Number of paper trays Media types Media size Media hadding Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics Power	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76; 2x127 to 216 x356 mm; Tray 2: 98 x148 mm to 216 x356 mm; optional Tray 3: 100 x148 to 216 x356 mm; Duplex (all trays): 148 x148 mm to 216 x356 mm ADF. Letter, Legal; Add; custom sizes 102 x15 to 216 x356 mm Standard input: 50-sheet multipurp ose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets uncuted Tray): 1:5heets: 50; envelopes: 5 Tray 2:5heets: 250; envelopes: 10 Tray 3:5heets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncuted Tray): 1:5heets: 50; envelopes: 5 Tray 2:5heets: 250; envelopes: 10 Tray 3:5heets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncutred Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 10.15 Catalina; Linux; Citric, Chrome OS; Mobile OS SAP; Novell; UNIX; Citric, Linux; Windows 5; Windows 5; Montered tray 40 tray 5; Monterey; macOS 10.15 Catalina; Linux; Citric, Chrome OS; Mobile OS SAP; Novell; UNIX; Citric, Linux; Windows 5; Windows 5; Montered tray 6; Montered tray
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simples: Tray 1: 76.2x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADP. Letter, Legal; A4; customs sizes; 102 x 1356 550 mm Standard input: 50 - sheet multipurposetray, 250 - sheet input tray, 50 - sheet Automatic Document Feeder (ADP) Standard output: 150 - sheet output bin Optional input: Optional 550 - sheet tray ADP: Standard, 50 sheets uncluded Tray 1: Sheets: 50; envelopes: 51 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550 - sheet tray) ADP: Standard, 50 sheets uncluded Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7: Windows 5; Windows 7: Windows 5; Windows 7: Windows 10; Windows 7: Windows 10; Windows 7: Windows 10; Windows
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Standard: 2; Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, roughl, postcards, labels, envelopes Custom (metric): Simplex Tray 1: 76.2 xt 12 To 216 x 356 mm; Tray 2: 98 xt 48 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADP. Letter; Legic 1A4; custom sizes 102 x 152 x 20 x 16 x 356 mm; Tray 2: 98 xt 48 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADP. Letter; Legic 1A4; custom sizes 102 x 152 x 20 x 16 x 356 mm; Tray 2: 98 xt 48 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADP. Letter; Legic 1A4; custom sizes 102 x 100 x 148 to 216 x 356 mm; Tray 1: 6 x 160 x 16
Mediahandling Number of paper trays Media types Media size Media handling Input capacity Compatible operating systems Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	Standard: 2: Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray, 1: 76, 2: 12.71 to 2: 16 x 3: 56 mm; Tray, 2: 98 x 148 mm to 2: 16 x 3: 56 mm; optional Tray, 3: 100 x 148 to 2: 16 x 3:56 mm; Duplex (all trays): 148 x 148 mm to 2: 16 x 3:56 mm; ADF. Letter, Legic; A.P.; custom sizes 10 2x 1: 52 to 2: 16 x 3:56 mm; Tray, 2: 98 x 148 mm to 2: 16 x 3:56 mm; optional Tray, 3: 100 x 148 to 2: 16 x 3:56 mm; Duplex (all trays): 148 x 148 mm to 2: 16 x 3:56 mm; ADF. Letter, Legic; A.P.; custom sizes 10 2x 1: 52 to 2: 16 x 3:56 mm; Duplex (all trays): 148 x 148 mm to 2: 16 x 3:56 mm; ADF. Letter, Legic; A.P.; custom sizes 10 2x 1: 52 to 2: 16 x 3:56 mm; Duplex (all trays): 148 x 148 mm to 2: 16 x 3:56 mm; ADF. Letter, Legic; A.P.; custom sizes 10 x 128 to 2: 16 x 3:56 mm; Duplex (all trays): 148 x 148 mm;
Mediahandling Number of paper trays Media types Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x DxH) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	Standard: 2: Maximum: 3 Paper (Bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray: 1:76;2:x127 to 2:16 x356 mm; Tray: 2:98 x184 mm to 2:16 x356 mm; optional Tray: 3:100 x148 to 2:16 x356 mm; Duplex (all trays): 148 x148 mm to 2:16 x356 mm; ADP. Letter, tegal; A.P. custom sizes to 2x1.5 to 2:6 x356 mm; Tray: 2:98 x184 mm to 2:16 x356 mm; optional Tray: 3:100 x148 to 2:16 x356 mm; Duplex (all trays): 148 x148 mm to 2:16 x356 mm; ADP. Letter, tegal; A.P. custom sizes to 2x1.5 to 2:6 x356 mm; Tray: 2:5 heets: 520; envelopes: 5 Tray: 2:5 heets: 250; envelopes: 5 Tray: 2:5 heets: 250; envelopes: 10 Tray: 3:5 heets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADP. Standard; 50 sheets uncurled Standard: 1by 150 sheets: Envelopes: 1b to 20 envelopes (all trays): 10 tray: 3:5 heets: 550 Maximum: Up to 150 sheets Windows: 11 to 150 sheets: Envelopes: 1b to 20 envelopes (all trays): 10 tray: 150 sheets (with Optional 550-sheet tray) ADP. Standard; 50 sheets uncurled Standard: 1by 150 sheets: Envelopes: 1by 160 envelopes: Maximum: Up to 150 sheets Windows: 2.6 sheets: 10 to 50 sheets: Envelopes: 1by 160 envelopes: Maximum: Up to 150 sheets Windows: 2.6 sheets: 10 to 50 sheets: Envelopes: 1by 160 envelopes: Maximum: Up to 150 sheets Windows: 2.6 sheets: 10 to 50 sheets: Envelopes: 1by 160 envelopes: Maximum: Up to 150 sheets Windows: 2.6 sheets: 10 to 50 sheets: 10 sheets: 1
Mediahandling Number of paper trays Media types Media types Media handling Input capacity Compatible operating systems Compatible network operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Country of origin	Standard: 2. Maximum: 3 Pager Bond, brochure, colored, glossy, letterhead, photo, plan, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric). Simples: 176, 2.×1.12 to 2.16 x.356 mm; Tray. 2. 98 x.148 mm to 2.16 x.356 mm; optonal Tray. 3. 100 x.148 to 2.16 x.356 mm; Duplex (all trays): 1.48 x.148 mm to 2.16 x.356 mm; ADP. Letter, tegla; A.4. custom sets 10.2 x.15 z.20 x.16 x.356 mm; Duplex (all trays): 1.48 x.148 mm to 2.16 x.356 mm; Duplex (all trays): 1.48 x.148 mm to 2.16 x.356 mm; ADP. Letter, tegla; A.4. custom sets 10.2 x.15 z.20 x.15 x.356 mm; Duplex (all trays): 1.48 x.148 mm to 2.16 x.356 mm; ADP. Letter, tegla; A.4. custom sets 10.2 x.15 z.20 x.15 x.15 x.15 x.15 x.15 x.15 x.15 x.15
Mediahandling Number of paper trays Media types Media types Media handling Input capacity Compatible operating systems Compatible network operating systems Software included Printer management Dimensions and weight Printer dimensions (W x Dx H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	Standard: 2: Maximum: 3 Pager Bond, inschure; colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (matric): Septies: Tray 1: 76, 2×1 2 70; 2 16 x3 56 mm; ray2: 98 x1 88 mm to 216 x3 56 mm; optomal Tray3: 10 x1 48 to 216 x3 36 mm; Duples (fall trays): 148 x148 mm to 216 x3 56 mm; Optomal Tray3: 15 septies (septies): 12 x3 56 mm; Optomal Tray3: 15 septies (septies): 12 x3 56 mm; Optomal Store (septies): 12 x3 56 mm;
Mediahandling Number of paper trays Media types Media types Media handling Input capacity Compatible operating systems Compatible network operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Country of origin	Standard: 2: Maximum: 3 Paper Bond, Brodhurs; colored, glossy, letterhead, photo, plan, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric) Simples of Tray 1: 76.2 x 72 m 2 fex 2356 mm, Tray 2: 98 x 148 mm to 216 x 356 mm, optional Tray 3: 100 x 148 to 216 x 356 mm, Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADP; Letter, Description of the common of

Footnotes

- 1 Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
- ² Standard print mode for HP Color LaserJet Pro series with HP TerraJet technology compared to predecessors. See hp.com/TerraJetcolors.
- ³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁴ Easy set up and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- ⁵ Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetplasticreductions. ⁶ HP calculations based on normalized Energy Star® TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetenergysaving.
- ⁷ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- 8 Smart app: Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required.
- 9 Based on monthly subscription cost of HP Instant Ink color toner service 1,500-page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 color toner cartridge printers <\$639 USD and <\$759 and MFPs priced <\$839 USD and <\$929 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices, along with return program supplies, not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence April 2022 study commissioned by HP, based on publicly available information as of April 20, 2022. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker – Final Historical 03 2021. For details: www.keypointintelligence.com/HPInstantink

 10 Automatic delivery and consolidated bill- Printers require direct connection to the Internet for program participation. Internet access sold separately.
- 11 Recycling Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- 12 Never run out Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.
- 13 Change or cancel Change or cancel your plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms
- ¹⁴ HP Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager

Technical specifications disclaimers

- 1 For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

 Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
- ³ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Blue Angel TEC based on 230V test result; ENERGY STAR TEC data based on 115V test result.