



# **OVERVIEW**





1. Power button	11. Serial *
2. Card reader *	12. VGA
3. Microphone (3.5mm)	13. 2x USB 2.0
4. Headphone / microphone combo jack (3.5mm)	14. 1x USB 3.2 Gen 1
5. USB-C 3.2 Gen 1 (data transfer, 15W charging)	15. 1x USB 3.2 Gen 1 (smart power on)
6. 2x USB 3.2 Gen 1	16. Kensington Security Slot
7. Optical drive *	17. Ethernet (RJ-45)
8. Audio line-out (3.5mm)	18. Smart cable clip slots *
9. HDMI 2.1 TMDS	19. Serial *
10. DP 1.4	20. Optional ports *

#### Notes

• Items with \* are only available on selected models



# **PERFORMANCE**

### **Processor**

### **Processor Family**

Intel® Celeron®, Intel Pentium®, or 12th / 13th Generation Intel Core™ i3 / i5 / i7 Processor

# Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Celeron G6900	2	2	3.4GHz	-	4MB	DDR4- 3200	Intel UHD Graphics 710
Pentium Gold G7400	2	4	3.7GHz	-	6МВ	DDR4- 3200	Intel UHD Graphics 710
Core i3-12100	4 (4 P-core + 0 E-core)	8	P-core 3.3GHz	P-core 4.3GHz <sup>[1]</sup>	12MB	DDR4- 3200	Intel UHD Graphics 730
Core i3-12300	4 (4 P-core + 0 E-core)	8	P-core 3.5GHz	P-core 4.4GHz <sup>[2]</sup>	12MB	DDR4- 3200	Intel UHD Graphics 730
Core i5- 12400	6 (6 P-core + 0 E-core)	12	P-core 2.5GHz	P-core 4.4GHz <sup>[3]</sup>	18MB	DDR4- 3200	Intel UHD Graphics 730
Core i5-12500	6 (6 P-core + 0 E-core)	12	P-core 3.0GHz	P-core 4.6GHz <sup>[4]</sup>	18MB	DDR4- 3200	Intel UHD Graphics 770
Core i5- 12600	6 (6 P-core + 0 E-core)	12	P-core 3.3GHz	P-core 4.8GHz <sup>[5]</sup>	18MB	DDR4- 3200	Intel UHD Graphics 770
Core i7-12700	12 (8 P-core + 4 E-core)	20	P-core 2.1GHz / E-core 1.6GHz	Max Turbo up to 4.9GHz / P-core 4.8GHz / E-core 3.6GHz <sup>[6]</sup>	25MB	DDR4- 3200	Intel UHD Graphics 770
Core i3-13100	4 (4 P-core + 0 E-core)	8	P-core 3.4GHz	P-core 4.5GHz <sup>[7]</sup>	12MB	DDR4- 3200	Intel UHD Graphics 730
Core i5- 13400	10 (6 P-core + 4 E-core)	16	P-core 2.5GHz / E-core 1.8GHz	P-core 4.6GHz / E-core 3.3GHz <sup>[8]</sup>	20MB	DDR4- 3200	Intel UHD Graphics 730
Core i5-13500	14 (6 P-core + 8 E-core)	20	P-core 2.5GHz / E-core 1.8GHz	P-core 4.8GHz / E-core 3.5GHz <sup>[9]</sup>	24MB	DDR4- 3200	Intel UHD Graphics 770
Core i5- 13600	14 (6 P-core + 8 E-core)	20	P-core 2.7GHz / E-core 2.0GHz	P-core 5.0GHz / E-core 3.7GHz <sup>[10]</sup>	24MB	DDR4- 3200	Intel UHD Graphics 770
Core i7-13700	16 (8 P-core + 8 E-core)	24	P-core 2.1GHz / E-core 1.5GHz	Max Turbo up to 5.2GHz / P-core 5.1GHz / E-core 4.1GHz <sup>[1]]</sup>	30MB	DDR4- 3200	Intel UHD Graphics 770

### Notes:

[1], [2], [3], [4], [5], [6], [7], [8], [9], [10], [11] Intel Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see

http://www.intel.com/technology/turboboost/ for more information.

# **Operating System**

### Operating System\*\*

- Ubuntu Linux[1]
- Windows® 11 DG Windows 10 Pro 64
- Windows 11 Home
- Windows 11 Home Single Language
- Windows 11 Pro
- No operating system

### Notes:

[1] Some features may not be supported on the system with Linux preload, including but not limited to Intel RST RAID, Human Presence Detection, etc.



# **Graphics**

### Graphics\*\*[1]

Graphics	Туре	Memory	Connector	Max Resolution	Key Features
Intel UHD graphics 710	Integrated	Shared	1x HDMI® 2.1 TMDS, 1x VGA, 1x DP 1.4 HBR2	3840×2160@60Hz(HDMI), 1920x1200@60Hz(VGA), 4096x2304@60Hz(DP)	DirectX®
Intel UHD graphics 730	Integrated	Shared	1x HDMI 2.1 TMDS, 1x VGA, 1x DP 1.4 HBR2	3840×2160@60Hz(HDMI), 1920x1200@60Hz(VGA), 4096x2304@60Hz(DP)	DirectX 12
Intel UHD graphics 770	Integrated	Shared	1x HDMI 2.1 TMDS, 1x VGA, 1x DP 1.4 HBR2	3840×2160@60Hz(HDMI), 1920x1200@60Hz(VGA), 4096x2304@60Hz(DP)	DirectX 12

Notes:

[1] The information of integrated graphics are not applicable for the models with processor which has no integrated graphics inside (for the details, please refer to processor section).

# **Monitor Support**

### **Monitor Support**

Supports up to 3 independent displays via (HDMI, DP and VGA)

# **Chipset**

### Chipset

Intel B660 chipset

### **Memory**

# Max Memory[1]

Up to 64GB DDR4-3200

### **Memory Slots**

Two DDR4 UDIMM slots, dual-channel capable

### **Memory Type**

DDR4-3200

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

# **Storage**

### Storage Support[1]

Up to two drives, 1x 3.5" HDD + 1x M.2 SSD

- 3.5" HDD up to 2TB
- M.2 SSD up to 1TB

# Storage Type\*\*\*

Disk Type	Interface	RPM	Security
3.5" SATA HDD	SATA 6Gb/s	7.2K	-
M.2 2280 SSD	PCIe® NVMe®, PCIe 4.0 x4	-	Opal
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4	-	Opal 2.0

Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo storage offerings.

# Removable Storage

### Optical\*\*

# ThinkCentre neo 50s Gen 4



- DVD-ROM, SATA 1.5Gb/s, slim (9.0mm)
- DVD burner (DVD±RW), SATA connector, slim (9.0mm)
- None

#### **Card Reader**

- 7-in-1 card reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, XD)
- · No card reader

### Multi-Media

### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC623-CG codec

### **Speakers**

- · No speakers
- Single speaker, 1W x1

# **Power Supply**

### Power Supply\*\*

Power	Туре	Efficiency	Key Features
180W	Fixed	85%	Autosensing
260W	Fixed	90%	Autosensing

# **DESIGN**

# **Input Device**

### Keyboard\*\*

- Lenovo Calliope Keyboard (USB connector), black
- Lenovo Traditional Keyboard (USB connector), black
- · No keyboard

#### Mouse

- Lenovo Calliope Mouse (USB connector), black
- No mouse

### **Mechanical**

### **Form Factor**

SFF (7.4L)

### Dimensions (WxDxH)[1]

100 x 308 x 274.8 mm (3.9 x 12.1 x 10.8 inches)

# Packaging Dimensions (WxDxH)

195 x 390 x 500 mm (7.7 x 15.4 x 19.7 inches)

### Weight<sup>[2]</sup>

Around 4.5 kg (9.9 lbs)

### **Packaging Weight**

Around 6.35 kg (14 lbs)

#### **Case Color**

Raven black

### **Bays**

- 1x 2.5"/3.5" disk bay
- 1x slim ODD bay

### **Expansion Slots**

- One PCIe 4.0 x16, low-profie (length < 167.65mm, height < 68.90mm)
- One PCIe 3.0 x1, low-profie (length < 167.65mm, height < 68.90mm)
- Two M.2 slots (one for WLAN, one for SSD)

#### **Stand**

Vertical stand

# ThinkCentre neo 50s Gen 4



No stand

#### **Others**

(Optional) Smart Cable (USB-A to USB-C®)

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

### **Network**

#### **Onboard Ethernet**

Gigabit Ethernet, Realtek RTL8111HN, 1x RJ-45, supports Wake-on-LAN

#### WLAN + Bluetooth®\*\*

- Realtek Wi-Fi\* 6 RTL8852BE, 802.11ax Dual Band 2x2 Wi-Fi + Bluetooth 5.1, M.2 card
- Intel Wi-Fi 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card
- Intel Wi-Fi 6E AX211, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card
- No WLAN and Bluetooth

### Ports<sup>[1]</sup>

### **Front Ports**

- 1x USB-C 3.2 Gen 1 (support data transfer and 5V@3A charging)
- 2x USB 3.2 Gen 1
- 1x headphone / microphone combo jack (3.5mm)
- 1x microphone (3.5mm)

### **Optional Front Ports**

1x card reader

### Rear Ports

- 2x USB 2.0
- 2x USB 3.2 Gen 1 (one supports Smart Power On)
- 1x HDMI 2.1 TMDS
- 1x DisplayPort™ 1.4
- 1x VGA
- 1x Ethernet (RJ-45)
- 1x line-out (3.5mm)

# Optional Rear Ports\*\*\*

- 2x USB 2.0
- 1x parallel
- 1x serial
- 1x 2nd serial
- None

### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

### **Monitor Cable**

### Monitor Cable\*\*\*

• HDMI to HDMI cable (1.5m)



- · HDMI to VGA dongle
- DP to VGA dongle
- DP to DVI dongle
- DP to dual DP dongle
- DP to HDMI dongle
- No monitor cable

# SECURITY & PRIVACY

# **Security**

### **Security Chip**

Discrete TPM 2.0, TCG certified

### **Physical Locks**

- (Optional) Smart Cable Clip
- Kensington® Security Slot™, 3 x 7 mm
- Padlock Loop

#### **Chassis Intrusion Switch**

- · Chassis intrusion switch
- · No chassis intrusion switch

### **Fingerprint Reader**

No fingerprint reader

### **BIOS Security**

- · Secure Wipe
- Power-on password
- · Supervisor password
- Hard disk password
- · Certificate based BIOS authentication
- Certificate based BIOS management
- Cover presence switch
- Self-healing BIOS
- Smart USB protection (allows keyboard / mouse only, blocks all storage devices)
- Intel BIOS guard

### **MANAGEABILITY**

# **System Management**

### **System Management**

Non-vPro®

# **SERVICE**

# **Warranty**<sup>[1]</sup>

### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year limited onsite service
- No base warranty

### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://pcsupport.lenovo.com/warranty">https://pcsupport.lenovo.com/warranty</a>.

# **ENVIRONMENTAL**

# **Operating Environment**

### **Temperature**

# ThinkCentre neo 50s Gen 4



Operating: 5°C (41°F) to 35°C (95°F)
 Storage: -40°C (-40°F) to 60°C (140°F)

### Humidity

Operating: 20% to 80%Storage: 10% to 90%

#### **Altitude**

Operating: 0 m (0 ft) to 3048 m (10,000 ft)
Storage: 0 m (0 ft) to 12192 m (40,000 ft)

### **CERTIFICATIONS**

### 

#### **Green Certifications**

- (Optional) ENERGY STAR® 8.0
- (Optional) EPEAT™ Gold Registered<sup>[2]</sup>
- (Optional) EPEAT Silver Registered[3]
- ErP Lot 3
- · RoHS compliant
- TCO Certified

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

[2], [3] EPEAT is registered where applicable, please see https://www.epeat.net for registration status by country.

### Other Certifications

#### **Other Certifications**

- (Optional) TÜV Rheinland® Low Noise
- (Optional) TÜV Rheinland Ultra Low Noise
- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.







intel





intel



intel

intel