



24P2Q

23.8 inch (60.5 cm) LCD MONITOR

Komfort, Bequemlichkeit und Leistung eines 23,8-Zoll-Full-HD-Monitors mit DisplayPort



3 SIDED
FRAMELESS



ADJUSTABLE
STAND




FLICKER FREE



IPS WIDE VIEW



LOW BLUE MODE



USB HUB



TILT



Wide viewing angle

Das Merkmal "Wide Viewing Angle" ermöglicht eine exakte Farbdarstellung bei einem großen Betrachtungswinkel von bis zu 178°. Auf diese Weise werden die Farben unabhängig von Ihrer Blickrichtung stets perfekt dargestellt.



Rahmenloses Design

Neben ihrem modernen und attraktiven Look ermöglichen rahmenlose Designs auch die nahtlose Nutzung mehrerer Monitore gleichzeitig. Ihr Cursor oder Fenster geht so nicht mehr in den dunklen Abgründen der Blenden verloren, wenn mehrere Monitore nebeneinander stehen.



Ergonomie

Fühlen Sie den Komfort! Die höhenverstellbaren, neig- und schwenkbaren Ständer von AOC helfen dabei, die komfortabelste und gesündeste Position zu ermitteln.



USB Hub

Der in den AOC-Monitoren integrierte USB-Hub sorgt für Benutzerfreundlichkeit und Zweckmäßigkeit auf Ihrem Schreibtisch. Die seitlichen Anschlüsse sind leicht erreichbar, auch wenn Sie diese nicht sehen; Sie vergeuden keine Zeit mehr, auf der Rückseite des PCs nach einem freien USB-Anschluss zu suchen.



Pivot

Dank der Schwenkfunktion ist der P2 vom Querformat um 180° in das Hochformat drehbar, was besonders beim Desktop Publishing sehr praktisch ist.

General

Model name	24P2Q
EAN	4038986147293
Product Line	Pro-Line
Series	P2
Channel	B2B
Classification	Superheld
Section	Profianwender
Launch date	01-07-2020

Screen

Resolution	1920x1080 PX
Refresh rate	75Hz
Screen size (inch)	23.8 inch
Screen size (cm)	60.5 cm
Flat / Curved	Nein
Backlight	WLED
Panel Type	IPS
Aspect ratio	16:9
Display Colours	16,7 Millionen
Panel Colour in Bits	6
sRGB Coverage (%)	107
Adobe RGB Coverage (%)	79
NTSC coverage (%)	72 %
Active Screen Area (HxW)	527.04 (H) X 296.46(V) mm mm
Pixel Pitch	0.2745
Pixels per Inch	92
Scanning Frequency	VGA/DVI/HDMI1.4/DP1.2 : 30 -85KHz (H) VGA/DVI/HDMI1.4/DP1.2 : 48 - 75 Hz (V)
Response time (GtG)	4 ms
Contrast (static)	1000:1
Contrast (dynamic)	50M:1
Brightness (typical)	250 cd/m²
Viewing angle (CR10)	178/178 °
Hard Glass	Antiglare + 3H
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

Exterior

Monitor colour	Schwarz
Bezel Type	Frameless
Removable Stand	✓

Ergonomics

Vesa Wallmount	100 x 100
Tilt	-5~35° °
Swivel	180 °
Pivot	✓
Height Adjust Amount	150mm

Multimedia

Audio Input	Line in
Built-in Speakers	2 W x 2
Audio output	Headphone out (3,5mm)

Connectivity and Multimedia

Signal Input	HDMI 1.4 x 1, DisplayPort 1.2 x 1, VGA, DVI
USB input	USB 3.2 (Gen1) x 4
USB Hub	✓
USB out ports	4
USB fast charge	✓

What's in the Box?

VGA cable	1,8 m
HDMI cable	1,8 m
Displayport Cable	1,8 m
Audio Cable	1,8 m
Power Cable C13	1,8 m

Power / Environmental

Powersupply	Intern
Powersource	100 - 240V, 50/60Hz
PowerConsumption On (Energystar)	20 watt
PowerConsumption Standby (Energystar)	0.3 watt
PowerConsumption Off (Energystar)	0.3 watt
EnergyClass	A

Approbations / Regulations

Listed on Energystar Website	✓
TCO	8
Listed on Epeat Website	✓
TUV-GS	✓
CE	✓
FCC	✓
ISO 9241-307 class I	✓
Rohs compliant	✓
Reach compliant	✓

Warranty

Warranty Period	3 Jahre
-----------------	---------

Dimensions / Weights

Product height (mm)	326.4
Product width (mm)	540.2
Product depth (mm)	200.1
Product dimensions incl base	540.2 (W) * (384.4~513) (H) *200.1(D)
Product dimensions excl base	540.2(W)* 326.4(H) * 50.7(D)
Packaging Dimensions (L x W x H)	610(W)*525(H)*160(D) mm
Product Dimensions (incl base)	540.2*513*200,1 mm
Gross Weight (including package)	6.89 Kg
Net Weight (excluding package)	4.68 Kg

Texts and USP

Marketing title	23.8 inch 4 ms IPS HDMI 1.4 x 1, VGA, DVI, DisplayPort 1.2 x 1 USB 3.2 (Gen1) x 4 AdaptiveSync
-----------------	--

Features

Sync Technology	AdaptiveSync
Flicker-free	✓
Blue Light Technology	Low blue light
Kensington Lock	✓