



Delock USB 2.0 Card Reader USB Type-C™ male 5 Slots

Description

The card reader by Delock can be used for reading and writing memory cards and can be connected to the USB-C™ interface of e.g. PCs, laptops, MacBooks, Chromebooks or smartphones.



Specification

- Connectors:
 - 1 x USB Type-C™ 2.0 male >
 - 1 x SD / MMC slot
 - 1 x Micro SD slot
 - 1 x xD slot
 - 1 x MS slot
 - 1 x CF slot
- Chipset: MA8168
- Supports memory: up to 2 TB SD 3.0 (UHS-I), MS
- Data transfer rate up to 480 Mbps
- LED indicator blue for read and write process
- Android devices: data medium can only be used in FAT32 and exFAT format
- It can only be used one storage medium, not several at the same time
- No external power supply needed
- Plug & Play
- Dimensions (LxWxH): ca. 101.5 x 27 x 15 mm
- Cable length incl. connector: ca. 15 cm
- Colour: black
- Supports following memory cards:
 - Slot 1 Secure Digital / Multi Media Card**
SD, SDHC, SDXC, Extreme SD, Extreme II SD, Extreme III SD, Ultra SD, Ultra II SD, Ultra II SD P Plus, SD Ultra-X, Ultra Speed SD, SD Pro, SD Elite Pro, HS SD, MMC, MMC 4.0
 - Slot 2 Micro SD**
Micro SD, Micro SDHC, Micro SDXC
 - Slot 3 xD**
xD, xD 1.21
 - Slot 4 MS**
MS, MS Pro Duo, MS MG Pro, MS MG Pro Duo, HS MS MG Pro Duo, HS MS Pro Duo
 - Slot 5 CF**
CF I, CF II, CF 3.0, CF 4.0, Extreme III CF, Extreme CF, Ultra II CF, HS CF, XS-XS CF, CF Elite Pro, CF Pro, CF Pro II

System requirements

- Android 6.0 or above
- Mac OS 10.12 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64

Item no. 91739

EAN: 4043619917396

Country of origin: China

Package: • Retail Box



- Device with a free USB Type-C™ port

Package content

- Card reader
- User manual

Images





General

Function:	Plug & Play
Supported operating system:	Android 6.0 or above
	Mac OS 10.12 or above
	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit



Supported memory card:

Micro SD
Micro SDHC
Micro SDXC
SD
Extreme SD
SDHC
SDXC
CF I
CF II
MMC
MS
MS PRO Duo
MMC 4.0
Extreme II SD
Extreme III SD
Ultra SD
Ultra II SD
Ultra II SD P Plus
SD Ultra-X
Ultra Speed SD
SD Pro
SD Elite Pro
HS SD
xD
xD 1.21
MS MG Pro
MS MG Pro Duo
HS MS MG Pro Duo
HS MS Pro Duo
CF 3.0
CF 4.0
Extreme III CF
Extreme CF
Ultra II CF
HS CF
XS-XS CF
CF Elite Pro
CF Pro
CF Pro II

Interface

Output:

1 x xD slot
1 x CF slot
1 x Micro SD slot
1 x SD / MMC slot
1 x MS slot



Input:	1 x USB Type-C™ male
Technical characteristics	
Chipset:	MA8168
Data transfer rate:	480 Mbps
Physical characteristics	
Cable length incl. connector:	15 cm
Length:	101.5 mm
Width:	27.0 mm
Height:	15 mm
Colour:	black