

# DANTE04B M.2 SATA/NVMe SSD Enclosure with USB 3.2 Gen 2, Dual Protocol

## Product Images

---





## Short Description

---

- **High-speed connectivity:**USB 3.2 Gen 2 delivers transfer speeds up to 10Gbps.
- **Wide SSD support:**Fits 22×30, 22×42, 22×60 and 22×80 M.2 NVMe/SATA SSDs with M or B+M key.
- **UASP support:**Improves overall transfer speed and responsiveness.
- **Tool-free installation:**Compact screwless casing for quick assembly.
- **Efficient heat dissipation:**Aluminum enclosure helps maintain stable performance.
- **Plug-and-play setup:**No drivers required for immediate use.

## Description

---

The M.2 SATA/NVMe SSD Enclosure with USB 3.2 Gen 2, Dual Protocol provides fast and stable data transmission with transfer speeds up to 10Gbps via USB 3.2 Gen 2. Compatible with USB 3.0 and USB 2.0, it uses a USB Type-C interface for easier, reversible connection to your devices. Supporting both NVMe and SATA M.2 SSDs in multiple lengths, it's an ideal portable solution for transferring large video files, creating backups, or expanding storage. The ultra-slim aluminum casing improves heat dissipation, while the compact screwless design enables quick, tool-free installation.

## Additional Information

---

Harmonized System (HS) code.	847180
Customs product code (TARIC).	8471800000
Approval and Compliance.	CE, RoHS
Operating temperature.	0°C ~ 45°C
Supported drive types.	M.2 SATA SSD, M.2 PCIe NVMe SSD
Compatible operating systems.	Windows XP Windows Vista Windows 7 Windows 8 Windows 10 Mac OS X 10.7 and higher
Package Contents.	DANTE04B USB-C and USB-A 2-in-1 cable Fixed fasteners Multilingual quick installation guide
Color.	Black
EAN.	4015867229521
Model Number.	DANTE04B
Case Material.	Aluminum
Dimensions (W x D x H).	38.4 x 104.5 x 12.5 mm
Product weight (kg).	0.065
Data rate.	10Gbps
PCI version.	PCIe 3.0
Connector.	USB-C female
Data Rate.	10Gbps
Standards.	USB 3.2 Gen 2
Supported drive capacity.	10 TB

