

OVERVIEW



1. Thunderbolt 4	6. HDMI
2. Thunderbolt 4	7. USB-C 3.2 Gen 2
3. Power connector	8. Ethernet (RJ-45)
4. USB 3.2 Gen 1 (Always On)	9. Headphone / microphone combo jack (3.5mm)
5. USB 3.2 Gen 1	10. USB-C 3.2 Gen 1

PERFORMANCE

Processor

Processor Family

12th Generation Intel® Core™ i7 / i9 Processor

Processor<sup>[1]</sup>

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i7-12800HX	16 (8 P-core + 8 E-core)	24	P-core 2.0GHz / E-core 1.5GHz	P-core 4.8GHz / E-core 3.4GHz	25MB	DDR5-4800	Intel UHD Graphics
Core i9-12900HX	16 (8 P-core + 8 E-core)	24	P-core 2.3GHz / E-core 1.7GHz	P-core 5.0GHz / E-core 3.6GHz	30MB	DDR5-4800	Intel UHD Graphics

Notes:

1. The maximum supported memory speed will vary on the selected memory

Operating System

Operating System

- Windows® 11 Pro 64
- Windows 11 Home 64
- No operating system

Graphics

Graphics

Graphics	Type	Memory	Boost Clock	TGP	Key Features
NVIDIA® GeForce RTX™ 3070 Ti Laptop GPU	Discrete	8GB GDDR6	1485 MHz	150W	Advanced Optimus, Resizable BAR, Dynamic Boost 2.0, VR ready, DirectX® 12 Ultimate
NVIDIA GeForce RTX 3080 Ti Laptop GPU	Discrete	16GB GDDR6	1590 MHz	175W	Advanced Optimus, Resizable BAR, Dynamic Boost 2.0, VR ready, DirectX 12 Ultimate

Monitor Support

Monitor Support<sup>[1]</sup>

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C®)

- HDMI supports up to 7680x4320@60Hz
- Thunderbolt™ supports up to 7680x4320@60Hz

Notes:

1. For Max resolution, DSC-enabled display is required. Three external output display devices cannot be supported at the same time when displaying 8K resolution.

Chipset

Chipset

Intel HM670 chipset

Memory

Max Memory<sup>[1]</sup>

- Up to 32GB DDR5-4800 offering
- Up to 32GB DDR5-5400 (Overclock) offering

Memory Slots

Two DDR5 SO-DIMM slots, dual-channel capable

Memory Type

- DDR5-4800
- DDR5-5400 (Overclock)

Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

Storage

Storage Support<sup>[1]</sup>

Up to two drives, 2x M.2 SSD

- M.2 2280 SSD up to 2TB

Storage Slot

Two M.2 slots

- Two M.2 2280 PCIe® Gen 4x4 slots, support M.2 2242/2280 SSD

Storage Type

Disk Type	Interface	Offering
M.2 2280 SSD	PCIe NVMe®, PCIe 4.0 x4	512GB / 1TB / 2TB

Notes:

1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

Removable Storage

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC3306 codec

Speakers

Stereo speakers (super linear speaker), 2W x2, audio by HARMAN certification, optimized with Nahimic Audio, Smart Amplifier (AMP)

Microphone

Dual array microphone

Camera

FHD 1080p, with E-camera shutter, fixed focus

Sensor

Sensors

Force sensor

Battery

Battery

Integrated Li-Polymer 99.99Wh battery, supports Rapid Charge Pro (charge up to 50% in 15min, 70% in 30min)

Max Battery Life<sup>[1]</sup>

MobileMark® 2018: 7.1 hr  
Local video (1080p) playback@150nits: 9.8 hr

Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter<sup>[1]</sup>

300W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz

Notes:

1. AC adapter offerings depend on the country.

DESIGN

Display

Display<sup>[1]</sup>

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
16.0"	WQXGA (2560x1600)	None	IPS	500 nits	Anti-glare	16:10	1200:1	100% sRGB	178°	Refresh rate 165Hz, Dolby® Vision™, DisplayHDR™ 400, G-Sync, DC dimmer, TÜV Low Blue Light, TÜV High Gaming Performance
16.0"	WQXGA (2560x1600)	None	IPS	500 nits	Anti-glare	16:10	1200:1	100% sRGB	178°	Refresh rate 240Hz, Dolby Vision, G-Sync, DC dimmer, Advanced Optimus, TÜV Low Blue Light, TÜV High Gaming Performance

**Color Calibration**

X-Rite® Pantone® factory color calibration

**Touchscreen**

Non-touch

Notes:

1. California Electronic Waste Recycling Fee  
In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product.  
For more information, go to <https://www.calrecycle.ca.gov/Electronics/Consumer>

Input Device

**Keyboard**

6-row, spill-resistant, multimedia Fn keys, numeric keypad, Force sensor, switchable keycaps, easy tool inbox

**Keyboard Backlight**

RGB backlight

**Touchpad**

Buttonless glass surface multi-touch touchpad, supports Precision TouchPad (PTP), 75 x 120 mm (2.95 x 4.72 inches)

Mechanical<sup>[1]</sup>

**Dimensions (WxDxH)**

358.1 x 263.5 x 19.4 mm (14.1 x 10.37 x 0.76 inches)

**Weight**

Around 2.53 kg (5.58 lbs)

**Case Color**

Storm grey (top), black (bottom)

**Surface Treatment**

Iron sandblasting (anodized)

**Case Material**

Aluminium (top), aluminium (bottom)

**System Lighting**

"Y" logo RGB lighting on top cover  
RGB lighting on power button  
"U" strip RGB lighting  
RGB lighting on left, right, and rear thermal vent

## Notes:

1. The system dimensions and weight vary depending on configurations.

## CONNECTIVITY

### Network

#### Onboard Ethernet

2.5GbE, Realtek RTL8125BG Gaming Ethernet, 1x RJ-45

#### WLAN + Bluetooth<sup>[1]</sup>

- Wi-Fi® 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.2, M.2 card
- Wi-Fi 6E, 802.11ax 2x2 Wi-Fi + Bluetooth 5.2, M.2 card
- Intel Killer Wi-Fi 6E AX1675i, 802.11ax 2x2 Wi-Fi + Bluetooth 5.2, M.2 Card
- Intel Killer Wi-Fi 6E AX1690i, 802.11ax 2x2 Wi-Fi + Bluetooth 5.2, M.2 Card

## Notes:

1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation

### Ports<sup>[1]</sup>

#### Standard Ports

- 2x Thunderbolt 4 / USB4® 40Gbps (support data transfer and DisplayPort™ 1.4)
- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C 3.2 Gen 1 (support data transfer only)
- 1x USB-C 3.2 Gen 2 (support data transfer, Power Delivery 135W and DisplayPort 1.4)
- 1x HDMI, up to 8K/60Hz
- 1x Ethernet (RJ-45)
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector

## Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.  
USB 2.0: 480 Mbit/s;  
USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;  
USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;  
USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;  
Thunderbolt 3/4: 40 Gbit/s

## SECURITY & PRIVACY

### Security

#### Security Chip

Firmware TPM 2.0 integrated in chipset

#### Fingerprint Reader

Touch style fingerprint reader on power button

#### BIOS Security

- Administrator password
- Power-on password
- Hard disk password
- Self-healing BIOS

#### Other Security

E-Camera shutter

## SERVICE

### Warranty

#### Base Warranty<sup>[1]</sup>

- 1-year depot service
- 1-year depot with 2-year system board service (Korea only)
- 2-year (1-yr battery) depot service
- 3-year (1-yr battery) depot service

## Notes:

1. More information of warranty policy, please access <https://pcsupport.lenovo.com/warranty>

## ENVIRONMENTAL

### Operating Environment

#### Temperature<sup>[1]</sup>

At altitudes up to 2438 m (8,000 ft)

- Operating: 5°C to 35°C (41°F to 95°F)
- Storage: 5°C to 43°C (41°F to 109°F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

## Notes:

1. When you charge the battery, its temperature must be no lower than 10°C (50°F).

## CERTIFICATIONS

### Green Certifications

#### Green Certifications

- ErP Lot 3
- RoHS compliant

### Other Certifications

#### Other Certifications

- TÜV Rheinland® High Gaming Performance
- TÜV Rheinland Low Blue Light (Hardware Solution)

- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.



intel



intel



intel



intel



intel



intel